



Global Sustainability Reporting Guidance 2020

Version 22.1

Balfour Beatty

Contents

1.0 Introduction.....	5
2.0 Reporting Timescales	6
3.0 Reporting Scope and Boundaries	8
4.0 Scope 2 Methodology	11
5.0 Baselines.....	13
6.0 Data Quality.....	17
7.0 Data Validation	19
8.0 Reporting Indicators	20
9.0 Glossary & Abbreviations	53
Appendix 1 – List of Indicators.....	54

Document Control

Issue	Date	Owner	Revisions
1	12/01/06	J D Dunne	First issue
2	03/01/07	J D Dunne	Date revision and additional indicators
3	31/10/07	J D Dunne	Date revision and additional indicators
4	30/11/08	J C Garrett	Date revision, mandatory, optional and additional indicators, and further guidance on providing the data (tips for improving accuracy, energy and greenhouse gas emissions, waste, water, ozone depleting substances, F gases and sustainable construction).
5	7/12/09	J C Garrett	Contents page added. New sustainability and revised Health and Safety indicators added to align with BB 2020 Vision and Roadmap and Zero Harm respectively. CO ₂ emission factors updated in accordance with DEFRA 2009 guidance and construction waste reporting aligned to WRAP protocol.
6	30/11/10	J C Garrett / A. Bradshaw	Date revision and confirmation that sustainability indicators remain unchanged. Revised health and safety indicators. New submission deadline to allow alignment with financial reporting in the Annual Report & Accounts. Additional guidance on new acquisitions, sharing Group guidance with sites and improvements to SBU validation procedures in response to URS recommendations on assurance received may 2010. Update GHG emissions with latest DEFRA Guidelines 2010.
7	8/12/11	J. C Garrett / A. Bradshaw	Additional guidance added on steps to be taken within SBU / project sites to improve robustness of data and record keeping (Sections 6 and 7) following URS feedback in 2011. CO ₂ conversion figures added to Appendix 4 for information. Health and safety indicators revised.
8	28/11/12	B. Andrews / A. Bradshaw	Additional guidance, updated conversion factors, updated reporting deadlines, included data entry and validation process flowchart
9	28/06/13	B. Andrews / T. Agudo / E. Jones	Updated guidance to reflect Sustainability Blueprint, incorporation of User Guide, new GHG section, new JV section and updated conversion factors for 2013.
10	25/09/13	B. Andrews	Changed "Agreed sustainability goals" SUS 2.3.1 to be optional to reflect the blueprint. Introduced further requirements for the Validator.
11	04/03/14	B.Andrews/ Maria Kovacheva	Improved quality of graphs for external website (no material changes).
12	12/06/14	B.Andrews	Improvements to definitions, changes to some of the indicators, introduction of thresholds, new guidance and conversion factors for 2014. Slight modification to some of the graphics.

13	29/09/14	B.Andrews	Change to 6.3.3 to capture CAT B timber.
14	31/10/14	B.Andrews	Addition of SUS 1.3.1a indicator.
15	08/04/15	B.Andrews/ E.Jones	Removal of a number of indicators that are now collated centrally and addition of indicators for apprentices, undergraduates and graduates. Additional H&S indicators under Regulatory Action.
16	11/03/16	B.Andrews	Update of indicators to align with the updated Blueprint. Changes to the validation process. Additional requirements around explanations and source data.
17	06/09/16	B.Andrews	Further clarification and simplification of some of the indicators.
18	24/10/17	B.Andrews	Minor edits & simplification of the Safety Indicators
19	26/10/17	M.McAteer	Minor edits; updated GWP; 2017 reporting deadlines updated; further clarification on LEA 2.3.2, LEA 2.4.1, LEA 2.4.2, LEA 2.4.3 and LEA 2.4.7 regarding reporting renewable energy in line with KPMG recommendations; additional clarification provided on reporting of liquid waste (page 38); information on how Towngas should be reported (LEA 2.3.1 – 2.3.3); clarification on reporting 5% biodiesel use for plant (LEA 2.3.13). Indicator 1.3.3 definition updated as the previous definition referred to itself.
20	09/07/18 23/11/18	M.McAteer/ B.Andrews/	Minor edits and clarifications, including the definition of operational control boundaries for JVs/concessions. Referencing updated to reflect Accuvio platform. Changes to order of indicators, some indicators combined, indicator response type updated – further details in Appendix 1.
21	03/11/2019	M. McAteer	Additional guidance provided for indicators 2.3.11 and 2.3.15 in relation to the differentiation between mobile and stationary fuel use. Minor edits and clarifications added throughout.
22	14/05/2020 04/12/2020	M.McAteer/ B.Andrews/ M.McAteer/	Updated guidance and reformat of whole document; Reporting dates amending in section 2; new section 4 added to explain scope 2 methodology approaches. Removal of several indicators from the sustainability survey. These can be viewed in Appendix A.
22.1	15/12/2020	M.McAteer	Indicator 4.4.3 re-added. This was accidentally omitted when document was updated in v22 14/05/2020

Document Purpose

This document provides guidance for all Balfour Beatty businesses to collate and report data in line with suitable guidance for completing all indicators. The document will be updated annually.

This is version 22 and covers the reporting period January 2020 to December 2020.

Section 1 sets out the context for sustainability reporting in line with the 2020 Framework across all geographies. It explains why we report sustainability and makes clear how sustainability is inherently linked to the Business Strategy.

Section 2 outlines the current reporting timescales and is accompanied with a process driven timeline.

Section 3 clarifies the scope and boundaries for reporting. Scenarios and descriptions are provided here for clarification.

***New* Section 4 outlines the scope 2 location-based and market-based methodologies applied.**

Section 5 explains the baseline used for reporting and why it is important.

Section 6 gives detail on the quality of data required to ensure assurance by external auditors. It includes tips for improving data quality.

Section 7 sets out the two-tiered data validation process, a requirement of the assurance process.

Section 8 provides detailed description for each reporting indicator. It outlines how to collect, and report data requested for submission in the Accuvio upload template and Accuvio Survey. Note that all indicators in this section are now mandatory for all businesses.

Section 9 provides further descriptions and explains abbreviations used throughout this document.

Appendix 1 provides a quick reference list of all indicators including those that have been removed from 2020 reporting campaign.

This guidance is not intended to be a training aid to assist with navigating the Accuvio platform or Accuvio data capture template tool. Separate training sessions can be arranged for this through the Balfour Beatty Group HSES function.

1.0 Introduction

1.1 Why we report

As a world-class infrastructure group Balfour Beatty’s reputation for responsible management goes hand in hand with driving economic growth as well as positive environmental and social outcomes.

Sustainability data collected for the following purposes:



1. Tracking performance of the Balfour Beatty Sustainability Framework ambitions and targets to enable the business to share best practice deliver positive sustainability outcomes for clients.



2. Internal and external reporting –

- Regulatory requirements such as international GHG reporting, the Companies Act, the Companies Act 2006 Regulations 2013
- Investor and other voluntary requirements such as FTSE4Good and CDP
- Building rating schemes such as CEEQUAL, BREEAM, LEED & BEAM
- Business unit and project level sustainability reporting
- Supply chain information and data requests.

1.3 Alignment with Business Strategy

There is a vast range of activities undertaken across the Group relating to sustainability. The data collection approach is continually refined to ensure sustainability data collated is meaningful and in line with the business strategy.



Introductory

Lean Deliver value to our customers by improving operational efficiency and eliminating waste right through the supply chain.

Expert Ensure we have the best engineering, construction, design and project management capabilities.

Trusted Be the construction partner of choice for our customers and supply chain by delivering on our promises.

Safe We must ensure the health and safety of everyone who comes into contact with our activities.

2.0 Reporting Timescales

The submission for **2020** will, where practicable, cover all Strategic Business Units (SBUs) and their operations worldwide.

Key dates for the 2020 submission are:

- SBUs prepare first cut of data for the period of January 2020 to June 2020 by August 3rd 2020;
- SBUs prepare second cut of data for the period of July 2020 to September 2020 by October 23rd 2020;
- Internal audits of SBUs will take place throughout the year to review data;
- Accuvio launch during 2nd week December 2020 (allowing data to be entered by contributors);
- Contributor submissions (to Accuvio by 15th Jan) and SBU validation (checking and sign-off) of sustainability data completed by 20th January 2021 at the very latest;
- Checking of data by Group (by 25th January 2021); and
- External assurance will take place between October 2020 and February 2021 to review data, which may include site visits to both Group Head Office and a sample of SBUs to check the accuracy and traceability of the data provided;
- Surveys i.e. all non-GHG data to be returned by 25th January 2021.

Validation forms a key part of the process for ensuring that the data is correct and is particularly important given that mandatory GHG reporting is a legal requirement.

Validation must be carried out for the completed data (see section 6). The timeline and process for entering and validating data in Accuvio is shown in figure 1.


Best Practice

Several business units have monthly reporting requirements in place to monitor and validate the data more regularly before submitting their consolidated data to Group in January.

Furthermore, the use of financial controllers in the collection and validation of non-financial data is becoming more widespread.

Monitoring data on a monthly basis allows businesses to be more pro-active with the information they receive to drive efficiencies and improvements within the business rather than just provide annual performance reports.

Figure 1: Reporting process for 2020 data



3.0 Reporting Scope and Boundaries

3.1 Operational Control


A clear definition of boundaries is essential to the ongoing validity of reporting sustainability data and comparison with previous submissions for trend analysis. Balfour Beatty has adopted the following boundary conventions on the grounds that they facilitate the collection of good quality data and that they encourage clear management responsibility.

At Balfour Beatty we use the **operational control approach** (as outlined in the GHG Protocol) and account for our sustainability data from operations over which we have operational control (i.e. have full authority to introduce and implement our operating policies at the operation).

We do not account for sustainability data from operations in which we own an interest but have no control. Operational control does not mean that a company necessarily has authority to make all decisions concerning an operation. In practice, this means that all Balfour Beatty named companies fall within our operational control, but that joint ventures (JVs), jointly owned businesses or concessions (entities) contracts are assessed individually using the following flow diagram to determine whether they fall within our operational boundaries for reporting purposes.

Balfour Beatty’s operational control approach does not preclude entities from reporting their performance separately or as part of another organisation. For instance, where a fully incorporated JV falls outside of Balfour Beatty’s operational control, the JV may still report on its performance separately to meet both client and legal requirements where appropriate.

Figure 2: Reporting Entities for Joint Ventures, Jointly Owned Business and Concessions



Further clarifications

- An SBU should report on all projects where it is the lead / principal contractor and on the environmental impacts of these projects, including those of subcontractors (within and external to the Group). This includes the waste generated by the subcontractor as part of the construction process for that project as they are undertaking work on our behalf. Energy and fuel used by our subcontractors, however, should only be reported as scope 3 which is optional. Only water purchased by Balfour Beatty should be reported.
- Each SBU will report on all its fixed/permanent establishments or facilities such as offices, manufacturing or factory units, warehouses, depots and other buildings occupied by the company in whole or in part where we buy energy, water or waste services.
- Electricity used for construction projects but provided free of charge by the client must be recorded separately. In the first instance SBU leads should check their own regional BMS for relevant data collection template forms, otherwise record data as is best appropriate. This is aligned with the approach in the GHG Protocol Corporate Standard (page 30) and ISO 14064-1 (section 2.9).
- SBUs will collect and report data if they are operating as a subcontractor **and** buy energy, water or waste services independently of the lead contractor as if they were the lead contractor.
- In the event that an SBU provides services for a third party within the third party's premises and use the energy, waste facilities and water provided by that third party to do so, for example as an FM provider, they should not include this data in their returns.
- Where we provide maintenance services for a client and cause the release of emissions such as sulphur hexafluoride, hydro fluorocarbons, methane, nitrous oxides, carbon dioxide or pollution incidents we must measure these. Similarly, we must measure any relevant inputs that are listed in Reporting Guidance. However, if there is a case of equipment failure on an asset that is owned by the customer, this would fall outside of our control and should not be recorded.
- However, where we purchase energy for assets that we control and operate on behalf of a client such as in the case of highways contracts, we need to capture the associated data, as they fall within our operational control.
- Where we purchase energy for a customer and have no operational control of the assets or the consumption such as in the case of some of our university accommodation projects we finance, we do not report this data.
- Where two or more SBUs share facilities such as offices the data contributors must agree a methodology between themselves which apportions, in a reasonable manner, the energy and water consumption or other environmental impacts. The splitting of this data should not prejudice the overall accuracy and records must be maintained on the assumptions used to apportion the data.
- Where we sublease space to another party, we need to distinguish what falls within our operational control. For instance, if we sublease a floor in a multi-storey building, we use an estimation methodology (see section LEA 2.4.4) for electricity (if meter readings are unavailable) and deduct this from Balfour Beatty's figures. Where we still have control of the central plant such as the main boiler (if there is one) we need to capture the emissions relating to this. If, however we leased out the whole property, the tenant would have full operational control of the plant and we would therefore not capture any of the emissions relating to the property.
- Where possible SBUs are encouraged to use sub-metered data rather using floor space or desk allocation benchmarks for electricity and gas data.

- In the case of joint ventures where two or more Balfour Beatty SBUs are involved, each SBU may only have a minority stake in the project, but when combined they have operational control of the joint venture. As outlined above, only one of these SBUs should report on the sustainability metrics for the project.
- Where an SBU, has operational control of a joint venture, it needs to check whether the joint venture has any subsidiaries that fall within its operational control.
- For projects where it is anticipated defects works will be less than 30 days, energy, water and waste data procured through group approved suppliers will be recorded under the relevant business unit defects category where defects works are carried out by Balfour Beatty group suppliers. The Sustainability Data Analyst or Data Contributor will allocate any residual (non-project allocated) energy or waste from supplier reports to the appropriate business unit region defects category. Where we engage directly with non-group suppliers, data must be recorded (e.g. using a non-group waste contractor to collect waste) against the project. For defect project less than 30 days, services provided by the customer free of charge do not need to be entered on the relevant data collection platform.

Figure 3: Illustration of how JVs may or may not fall within the operational control of an SBU.



In this example, an SBU has two wholly owned subsidiaries, business A & B, and a joint venture (JV) A. The SBU has a 60% share in JV A and has the authority to change operating procedures. The SBU applies the test illustrated in figure 2 and deems that JV A falls within its operational control. It therefore has to report 100% of JV A’s sustainability data.

JV A has its own two JVs, JV B and JV C. JV A has 45% stake in JV B, has board members on JV B’s board, but has not influenced the board to adopt our sustainability strategy. JV A has 49% stake in JV C, has board members on JV C’s board and has got JV C to adopt our sustainability strategy.

The operating business now applies the test to both of these organisations and deems that only JV C falls within its operational control. It therefore has to report on 100% of JV C’s sustainability data.

Therefore, the operating business will have to report on its own sustainability data, those of its two subsidiaries, and those of joint ventures A and C. It is important that the data from joint venture B is not included.

4.0 Scope 2 Methodology

The GHG Protocol sets out two accounting methodologies for scope 2 GHG emissions (i.e purchased electricity and purchased heat and steam): location-based and market-based.

The location-based method discloses the emissions from electricity consumption that Balfour Beatty indirectly emits whereas the market-based method differentiates emissions we are responsible for as a result of our renewable electricity purchasing decisions.

Up to 2020 Balfour Beatty reported only using the location-based method. Due to greater transparency by our supply chain partners and visibility of our contractual instrument data and evidence, we can confidently report in-line with the market-based method requirements. From 2020 both methods will be disclosed annually. The information below outlines a summary of both.

4.1 Location-based accounting

This method quantifies scope 2 GHG emissions based on average energy generation emission factors for defined geographic locations, including local, subnational, or national boundaries.

Emission factors representing average emissions from energy generation occurring within a defined geographic area and a defined time period are applied. These are provided by DEFRA in the UK and the International Energy Agency (IEA) for all other geographies.

4.2 Market-based accounting

This method quantifies the scope 2 GHG emissions derived from energy generated by renewable generators (e.g. wind, solar) where we have a direct procurement supply contract in place. In the context of this method these are referred to as contractual instruments.

Contractual instruments can include any type of contract between two parties for the sale and purchase of energy bundled with attributes about the energy generation, or for unbundled attribute claims. They include energy attribute certificates (e.g. RECs, REGOs), direct contracts (for both low-carbon, renewable, or fossil fuel generation), supplier-specific emission factor rates.

Where the markets offer them, their form can differ and so to may specific attribute claims. The GHG Protocol sets out a series of quality criteria to ensure consistent in reporting across all markets and geographies. The Scope 2 Quality Criteria as outlined in the GHG Protocol are set out on the following page.

Where no such contracts are in place, default emission factors representing any untracked or unclaimed energy and emissions, a residual mix emission factor must be applied.

Due to the volume and scale of Balfour Beatty's scope 2 emissions, sources are not listed in this document however all emission factors and sources used for market-based reporting for the reporting year are available to view in Accuvio.

All contractual instruments used in the market-based method for scope 2 accounting shall:

1. Convey the direct GHG emission factor attribute associated with the unit of electricity produced.
2. Be the only instruments that carry the GHG emission rate attribute claim associated with that quantity of electricity generation.
3. Be tracked and redeemed, retired, or cancelled by or on behalf of the reporting entity.
4. Be issued and redeemed as close as possible to the period of energy consumption to which the instrument is applied.
5. Be sourced from the same market in which the reporting entity's electricity-consuming operations are located and to which the instrument is applied.

Utility-specific emission factors shall:

6. Be calculated based on delivered electricity, incorporating certificates sourced and retired on behalf of its customers. Electricity from renewable facilities for which the attributes have been sold off (via contracts or certificates) shall be characterized as having the GHG attributes of the residual mix in the utility or supplier-specific emission factor.

Companies purchasing electricity directly from generators or consuming on-site generation shall:

7. Ensure all contractual instruments conveying emissions claims be transferred to the reporting entity only. No other instruments that convey this claim to another end user shall be issued for the contracted electricity. The electricity from the facility shall not carry the GHG emission rate claim for use by a utility, for example, for the purpose of delivery and use claims.

To use any contractual instrument in the market-based method requires that:

8. An adjusted, residual mix characterizing the GHG intensity of unclaimed or publicly shared electricity shall be made available for consumer scope 2 calculations, or its absence shall be disclosed by the reporting entity.

Contractual Instrument: Any type of contract between two parties for the sale and purchase of energy bundled with attributes about the energy generation, or for unbundled attribute claims. Markets differ as to what contractual instruments are commonly available or used by companies to purchase energy or claim specific attributes about it, but they can include energy attribute certificates (RECs, GOs, etc.), direct contracts (for both low-carbon, renewable, or fossil fuel generation), supplier-specific emission rates, and other default emission factors representing the untracked or unclaimed energy and emissions (termed the residual mix) if a company does not have other contractual information that meets the Scope 2 Quality Criteria.

Residual Mix: A residual mix is the adjusted grid emission factor that is uplifted to accommodate the energy origin of untracked consumption i.e. consumption which has not been disclosed using a contractual instrument. This is to ensure that the electricity generation mix of a country is not double counted in the grid emissions factor where there has been procurement and allocation of renewable energy.

5.0 Baselines


Our baseline year is set at 2010 for reporting our sustainability performance in our annual report and online dashboard.

Where we set up a new business, we must report their sustainability data for their first full reporting year within the Group (without any adjustments to the baseline).

5.1 Acquisitions

Where we acquire businesses we need to report their sustainability data for their first full reporting year within the Group, but also capture historic data including the baseline year, in order not to distort the intensity ratios that we report on, as illustrated below.

Figure 4: Acquisition of a business



Adopted from GHG protocol

In this example, we had two operating businesses, A & B, that each emitted 25,000 tonnes of carbon in the 2010 baseline year.


Let us assume that both businesses grew in 2011 increasing their emissions to 30,000 tonnes each giving us a total of 60,000 tonnes.

Let us assume that in 2012 we acquired business C which has its own footprint of 20,000 tonnes. For reporting purposes, we now have to restate our 2010 baseline and 2011 data to incorporate business C's emissions in order to compare like with like and provide a fair representation of the data as illustrated on the right-hand side of the graph.

It is therefore important that Group are informed of any acquisitions. Group will then make changes to the historic data accordingly.

Where we acquire businesses that did not exist during our baseline year, we need to report their sustainability data for their first full reporting year within the Group, but also capture historic data for when the business existed. It is in our interest to capture this data in order to avoid a distortion of our intensity ratios that we report on, as illustrated below.

Figure 5: Acquisition of a business that did not exist in 2010



Adopted from GHG protocol

In this example, we had two operating businesses, A & B, that each emitted 25,000 tonnes of carbon in the 2010 baseline year.

Let us assume that both businesses grew in 2011 increasing their emissions to 30,000 tonnes each giving us a total of 60,000 tonnes.

Let us assume that in 2012 we acquired business C which has its own footprint of 20,000 tonnes. Business C did not exist in 2010. For reporting purposes, we now have to restate data all of the years in which business C existed. In this example, business C only existed in 2011 prior to the acquisition (i.e. 15,000 tonnes in this case) in order to compare like with like and provide a fair representation of the data as illustrated on the right hand side of the graph.


It is therefore important that Group are informed of any acquisitions to ensure that the baseline data reflects the changes accordingly.

In cases where you do not have baseline data, please contact the Group HSES Head of Environment & Sustainability who will use intensity and net sales value data to calculate historic sustainability data.

5.2 Divestments

Where we dispose of a business, we need to remove their sustainability data for the reporting year and historic data including the baseline year in order not to distort the intensity ratios that we report on, as illustrated below:

Figure 6: Disposal of a business



Adopted from GHG protocol

In this example, we had three operating businesses, A, B and C, that each emitted 25,000 tonnes of carbon in the 2010 baseline year.

Let us assume that all three businesses grew in 2011 increasing their emissions to 30,000 tonnes each giving us a total of 90,000 tonnes.

Let us assume that in 2012 we disposed of business C which has its own footprint of 30,000 tonnes. For reporting purposes, we now have to restate our 2010 baseline and 2011 data to remove business C's emissions from previous years in order to compare like with like and provide a fair representation of the data as illustrated on the right hand side of the graph.

Again, it is important that Group are informed of any disposals to ensure that the baseline data reflects the changes accordingly

5.3 Adjustments to historic data

In some situations, adjustments to historic data sets may be required. Where changes for an indicator at the SBU level are greater than 10% every effort must be made to rectify these. The time limit for adjusting historic data sets is three years, unless there is a simple adjustment that can be made such as a sale of an SBU as outlined in section 6. For instance, if an SBU identified an error in the reporting methodology of one of its indicators for its 2017 data set, it would need to rectify this data for its 2016, 2015 and 2014 data.

6.0 Data Quality

Good quality data is vital to ensure meaningful trends can be identified and give confidence in external reporting. Following these tips should help each SBU to minimise sources of error when providing data to the Group:

- Document your data collection processes (e.g. as part of your management systems) and maintain records, include items such as:
 - Produce an up to date organogram of your SBU, its subsidiaries and joint ventures to assist you in identifying what falls within your operational control
 - Obtain monthly project lists to ensure all projects are being captured
 - Who is responsible for what;
 - Identifying the relevant data sources
 - Define how data is collected and consolidated (e.g. using spreadsheets or databases);
 - Describe quality assurance processes (data checking, error investigation and validation);
 - These need not be lengthy word documents (flow diagrams can be useful to depict the information flow from the data source through collection, handling, manipulation, transfer, error checking and through to final reporting);
- Retain copies of all relevant information used to complete the submission to provide an audit trail for your data. Use the comments or attach file function in Accuvio or generate your own electronic files that can be accessed by others. Examples include:
 - All source data (e.g. suppliers' invoices, utilities bills, purchase records, waste consignment/transfer notes/manifests, hours worked);
 - All calculations made, including any conversion factors and spreadsheets used;
 - Notes explaining assumptions made in compiling the data, such as the basis for any estimations made in the absence of actual/measured data, cross-referenced to any procedures used or calculation methodologies adopted, and clearly identify the source or origin of the data;
- Avoid the use of manual calculations by using spreadsheets or databases to record data sets instead (e.g. monthly electricity meter readings)
- Check all manual transfers of data from the point of origin and between calculation spreadsheets. Errors can occur in transferring the wrong number from one data source to another
- Check calculations, sums, cells and formulae are correctly used in spreadsheets
- Check the correct units are used in collating source data and entering into Accuvio (Tonnes vs. kgs, litres vs. m³ etc)
- Ensure that the correct conversion factors for the relevant calendar year are being used. This is particularly important when reviewing supplier data who may change their conversions factors when these are updated. We recommend using supplier source data and then applying the correct conversion factors where necessary (do not rely on suppliers to provide scope 1 and 2 carbon data).
- Monitor actual data where possible rather than relying on estimations
- Automate data collection where possible to minimise the risk of manual errors

- Share the Group guidance (this document) with personnel providing the data from project sites and divisions within your SBU. This will help raise awareness of the requirements and improve consistency in data management and submission
- Ensure your data collection and reporting systems are audited internally and any necessary corrective/preventive actions are implemented
- Ensure project sites tasked with collecting the data are provided with suitable guidance or methods to follow (this could be based on parts of this document) or similar. Consider a sign-off process from projects / job sites to confirm the data provided is accurate and has been checked

7.0 Data Validation

An important element of data quality is independent checking of the data entered into Accuvio by the contributor. External Assurance requires this check to be done by a validator, who is independent of the person entering the data into Accuvio (the contributor). The validator must be a senior manager not more than one level below a board director given the legal implications of some of the data. Furthermore, they must have knowledge of the SBU so they can challenge changes in the data and associated trends.

Adequate time should be put aside to run through the Accuvio data in detail. Typically, the validation exercise should take two to three hours depending on the size and complexity of the business.

It is extremely important that this validation process is followed as it forms part of the external assurance process.

Aspects for a validator to check include:

- Is the data complete? What evidence has been used to draw together the full list of projects and buildings?
- Has the data increased/decreased significantly from the previous year? (You can check using the comparator tool in Accuvio for this). As a rule of thumb, any data that has increased or decreased by 10% or more warrants further investigation. This may be due to changes in activity level such as revenue growth, changes in project type (hence impacts) acquisitions or divestment. Any such changes must be documented in the explanation boxes on Accuvio. It is important that the explanations are thorough and self-explanatory.
- Has supporting information such as calculation spreadsheets and data summaries been attached as part of the submission providing you with an audit trail of how the figures were arrived at? Does this information reflect the SBU operations and projects it is working on? Are there any gaps in the supporting data provided (e.g. invoices or projects missing)? Are there significant differences in reported data from similar projects? What improvements can be made for future submissions? Submissions without relevant source data will not be accepted.
- Has the SBU reported on the measures within its operational control
- Is it clear what calculation methodologies have been used to generate the data? What assumptions have been used? Is it clear what is estimated and what is measured data? Do these sound sensible and are they reproducible?
- Sense-check the data. Is the data of the right order of magnitude? Have the appropriate units been used? For example, check that water conversions are correct such as US Gallons in litres or m³. Has the data changed by > +/-10%?
- What internal checks have been made on the data? Has it been audited internally? Has any corrective action identified been implemented?
- Where anomalies cannot be explained, then more detailed checks should be undertaken on possible sources of error.
- Where errors are identified and corrected, these need to be documented in Accuvio to help develop an audit trail for external assurance data. On completion of the validation process, it is good practice to agree what improvements will be made for next year's submission.

8.0 Reporting Indicators

8.1 Introductory Questions

Sustainability awards		Indicator reference: INT 1.3.1
Indicator Question	Provide a list of sustainability awards/commendations received during the year	
Description	A sustainability award is one presented to Balfour Beatty to recognize its excellence in the field of sustainability by a third party. In most cases Balfour Beatty will have had to contest for the award with other candidates. This information is required to be reported in our annual CDP submission.	
Evidence	Copies of external awards and commendations received for the reporting period. These can be trophies, titles, certificates, commemorative plaques, medals, badges, pins, or ribbons or articles that reference them. The award must be linked to the SBU not just the individual.	

In Accuvio you will be asked to populate relevant details into a table:

Table 1: Example Awards

Name of Award	Level (if applicable)	Project Name	Date of Award	Web-link
<i>Environmental Best Practice</i>	<i>National Gold</i>	<i>Project A</i>	<i>03/03/2020</i>	<i>www.Balfourbeatty.com/projectA-award</i>

Projects		Indicator Reference: INT 1.4.1
Indicator Question	Provide a list of sustainability awards/commendations received during the year	
Description	<p>‘Projects’ are defined by the number of contracts. For instance, if an SBU was employed to maintain 10 buildings as part of a facilities management contract for one customer, this would count as one project.</p> <p>Similarly, if a rail business was installing a catenary system as part of a contract upgrade to a railway line and then won a contract for an extension on a neighbouring line, this would be classed as a separate project to the original catenary system.</p> <p>‘Practical completion’ means the completion of all the construction/project work that was requested by the client to their satisfaction. It is the date when the works are fit to be taken into beneficial use and the insurances pass back from the contractor to the employer.</p> <p>For instance, if there was a dispute regarding the quality of the work of project, then that project would not be classed as complete.</p>	
Evidence	Provide a full list of the projects undertaken during the reporting period to ensure the completeness of the datasets for other indicators. Indicate which of these projects were in progress between contract signature and practical completion at the year end and which achieved practical completion during the reporting period. This indicator is collated centrally in the UK only.	

Driving Efficiencies		Indicator Reference: LEA 2.1.1
Indicator Question	Value of net savings achieved through sustainability	
Description	<p>This indicator captures the total monetary value of savings achieved across the SBU from sustainability interventions in the calendar year. The savings will relate to resource efficiency or management measures such as savings on projects through increased recycling or energy efficiency. Savings reported here can either be savings to Balfour Beatty or to customer or both.</p> <p>Entries can be made in; Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD). This information is required to be reported in our annual CDP submission and for the Simplified Energy and Carbon Reporting Scheme</p>	
Evidence	<p>Compile a list of the interventions and the savings that have been realised in the appropriate currency. Only list savings that are a result of changes made by Balfour Beatty or its JVs and that financially benefits the business as a net saving. Do not list measures that were part of the original design and that were specified by the customer. Calculations can be used to demonstrate savings from appropriate opportunities such as those that save energy, fuel, materials or reduce or eliminate waste. Reusing recycled aggregate for instance would be such an example.</p>	

In Accuvio you will be required to provide the following information:

Table 2: Example Value of net savings achieved through sustainability

Category	Intervention Method	Project Number	Project Name	Annual Cost saving	Carbon saving (t-CO ₂ e)	Energy saving (kWh)	Description
Project	Hybrid generators	12345A	Project B	£12k	1.8	N/A	Deployment of hybrid units on motorway upgrade
Property	LED upgrade	N/A	Office A	£60k	5.12	20,000	Lighting upgrade of an existing building
Retrofit	Dehumidifiers	4589C	Project C	£80k	38.51	150,000	Dehumidifiers fitted in site welfare cabins
Grid Connection	Early grid connection	329G	Project D	£27k	8	N/A	Opportunity for early grid connection identified on '329G' project
Materials	Recycled aggregate	23451C	Project A	£280k	10	N/A	Use of recycled aggregate instead of virgin aggregate

8.2 Lean: Greenhouse Gas Emissions – Scope 1

Note that the consumption unit of measure for scope 1, 2 and 3 indicators vary across geographies and fuel types. These are provided in the Accuvio uploader. Once uploaded into Accuvio the platform applies the correct emission factor for the reporting year to generate the tCO2e.

Scope 1 emissions are direct emissions from the following sources from activities owned or controlled by Balfour Beatty that release emissions straight into the atmosphere. They are direct emissions from sources or fuels that we purchase. These emissions should include the following sources:

- Energy used in boilers (such as natural gas and fuel oil) and furnaces;
- Use of bottled gas (butane & propane) (e.g. vehicles, welding, refrigeration and space heating);
- Biofuel-diesel substitutes
- Operational mobile plant fuel use (e.g. excavators, gritters, cranes, tampers etc);
- Vehicle fleet
- Total of biomass and biogas purchased by the business for heating or power generation.

Emissions from methane, nitrous oxides and fluorinated gases (or F-gases). such as hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulphur hexafluoride (SF6) must also be reported.

Scope 1		Indicator Reference: LEA 2.3.1
Indicator Question	Total natural gas consumption on our own estate (permanent offices, depots, workshops, manufacturing sites, etc.).	
Description	<p>‘Own estate’ refers to our offices, depots, warehouses, factories and other permanent facilities under our control where we pay a utility provider for the natural gas directly. In this instance you should only enter data for supplies that your SBU or JV directly pays for i.e. where your business has the power to make investment decisions regarding the operations of our assets.</p> <p>For instance, we would not expect an SBU to report on the energy consumption of the housing it maintains for residents unless it pays for the utilities, in which case it would be worthwhile investing in measures to improve energy efficiency.</p> <p>Do not report on data here where we are a tenant and pay for our utilities as part of a service charge.</p> <p>For those operations using Towngas you should select this fuel type in Accuvio and not natural gas.</p>	
Evidence	<p>Provide up-to-date spreadsheets/ or a database that lists all of the buildings within the SBUs estate (building by building) for which we pay the gas supply for and provide data on their natural gas consumption. Provide evidence of the source data such as invoices or meter readings. It is important that there is a full audit trail.</p>	

Scope 1		Indicator Reference: LEA 2.3.2
Indicator Question	Total natural gas consumption from temporary/project sites	
Description	‘Temporary/project sites’ refers to sites where we are working on behalf of a customer as part of a contract but are responsible for paying the utilities directly.	
Evidence	<p>Provide up-to-date spreadsheets/ or a database that lists all of the temporary/project sites (site by site) and their natural gas consumption. Provide evidence of the source data such as invoices or meter readings. Where energy consumption of project sites cannot be metered directly then overall consumption data should be collected such as from invoice data. The invoice data does not necessarily need to be broken down by each small site as the aim is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. However, it is important that there is a full audit trail.</p> <p>Project sites where we are carrying out small ad hoc jobs, which are likely to consume small amounts of energy such as window installations or paint jobs, should not be included within the reporting scope and should be documented at site level.</p> <p>For those operations using Towngas, you should select this fuel type in Accuvio and not natural gas.</p>	

Scope 1		Indicator Reference: LEA 2.3.3
Indicator Question	Total natural gas purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites, etc.) as part of a service charge.	
Description	‘Purchased via a landlord’ refers to the volume of natural gas used on our buildings that forms part of a service charge or rent and is paid for by the landlord. Please note, that in cases where the landlord does not charge us for supplies, we use, we still need to capture their consumption data.	
Evidence	<p>Provide up-to-date spreadsheets/ or a database that lists all of the buildings within the SBUs estate (building by building) for which a landlord pays the gas supply for and provide data on their natural gas consumption. Provide evidence of the source data such as service charge invoices or meter readings. Note that where invoices and meter read data is available preference should be given to meter data for evidence purposes. Where this no data is available then use one of the conversion factors listed in table 4.</p> <p>The usable floor area relates to the areas used for working within the office and does not include communal areas such as corridors, toilets or central plant areas that fall outside of our operational control. Typically, the usable floor area equates to 90% of the total floor area. It is important that there is a full audit trail even if the data is estimated.</p> <p>For those operations using town gas, you should select this fuel type in Accuvio and not natural gas.</p>	

Table 3: Floor space calculation chart for natural gas

Office	kWh/m²	kWh/ft²	Country
General office	186.26	17.30	Canada
General office	120	11.15	UK
Storage facility	160	9.91	UK
Workshop	180	16.15	UK
General office Northeast	112.21	10.42	USA
General office Midwest	108.61	10.09	USA
General office South	56.27	5.23	USA
General office West	72.62	6.75	USA
Warehouse & storage Northeast	90.29	8.39	USA
Warehouse & storage Midwest	66.41	6.17	USA
Warehouse & storage South	36.97	3.43	USA
Warehouse & storage West	83.42	7.75	USA

Source: UK CIBSE TM46, USA CBECS

If your country is not listed, you may opt to calculate the amount of natural gas used based on another metric such as the number of desk spaces. To do this you will need to know the gas consumption for a similar property in the same location and determine the number of desk spaces that are provided. Once you have obtained these, you can divide the gas consumption in kWh by the number of desk spaces to calculate the conversion factor per desk space. This conversion factor can then be multiplied by the number of desk spaces to calculate the kWh consumption of a building on a quarterly basis.

We need to capture usable floor space areas or information on the number of desk spaces and additional information on the buildings is illustrated in table 4.

Where we occupy less than a total of 50m² (538ft²) of office, warehouse or storage space, no floor space calculations are required.

In situations where we share a depot or a workshop and do not pay for the bill directly, we recommend capturing the data by agreeing an apportionment methodology with the landlord. For instance, if we occupied 30% of a warehouse, we would report on 30% of its emissions.

Scope 1		Indicator Reference: LEA 2.3.4
Indicator Question	Total quantity of bottled gas (butane)	
Description	“Butane” (C ₄ H ₁₀) is a hydrocarbon gas predominantly used for mobile space heating, welding, vehicles or refrigeration and is generally supplied in gas cylinders. Please capture any other butane use within the business. Please note that gas used by subcontractors should only be accounted for as scope 3 separately and not in this section.	
Evidence	Provide data on the amount of butane used throughout the year and invoices as part of the audit trail. Ensure that butane supplied as part of leased equipment is also accounted for. For instance, a mobile heater might be supplied with a gas cylinder. It is important that bottled gas supplied with equipment is captured as part of this process.	

Scope 1		Indicator Reference: LEA 2.3.5
Indicator Question	Total quantity of bottled gas (propane)	
Description	<p>“Propane” (C₃H₈) is a hydrocarbon gas predominantly used for mobile space heating, welding, vehicles and is generally supplied in gas cylinders. Please capture any other butane use within the business. Please note that gas used by subcontractors should only be accounted for as scope 3 separately and not in this section.</p>	
Evidence	<p>Provide data on the amount of propane used throughout the year and invoices as part of the audit trail. Ensure that propane supplied as part of leased equipment is also accounted for. For instance, a mobile heater might be supplied with a gas cylinder. It is important that bottled gas supplied with equipment is captured as part of this process.</p>	

Scope 1		Indicator Reference: LEA 2.3.6
Indicator Question	Total boiler fuel consumption on our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	
Description	<p>‘Boiler fuel’ refers to liquid heating oil used as a fuel for furnaces or boilers in buildings.</p> <p>‘Own estate’ refers to our offices, depots, warehouses, factories and other permanent facilities under our control) where we pay a utility provider for the natural gas directly. In this instance you should only enter data for supplies that your SBU or JV directly pays for i.e. where your business the power to make investment decisions regarding the operations of our assets.</p> <p>Please report ‘gas oil’, also referred to as ‘red diesel’, under LEA 3.2.11.</p> <p>Do not report on data here where we are a tenant and pay for our boiler fuel as part of a service charge.</p>	
Evidence	<p>Provide up-to-date spreadsheets/ or a database that lists all the buildings within the SBUs estate (building by building) for which we supply boiler fuel for. Provide evidence of the source data such as invoices or meter readings. It is important that there is a full audit trail.</p>	

Scope 1		Indicator Reference: LEA 2.3.7
Indicator Question	Total boiler fuel consumption from temporary/project sites	
Description	<p>‘Temporary/project sites’ refers to sites where we are working on behalf of a client as part of a contract but are responsible for paying the boiler fuel supplies directly. Do not include gas oil used for mobile plant. Boiler fuel should only cover gas oil used for heating purposes and generators.</p>	
Evidence	<p>Provide up-to-date spreadsheets/ or a database that lists all of the temporary/project sites (site by site) and their boiler consumption. Provide evidence of the source data such as invoices or meter readings. Where energy consumption of project sites cannot be metered directly then overall consumption data should be collected such as from invoice data. The invoice data does not necessarily need to be broken down by each small site as the aim</p>	

	is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. However, it is important that there is a full audit trail.
--	---

Scope 1		Indicator Reference: LEA 2.3.8
Indicator Question	Total boiler fuel purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites etc.) as part of a service charge	
Description	‘Purchased via a landlord’ refers to the volume of boiler fuel used on our buildings that forms either part of a service charge or rent and is paid for by the landlord. Please note that in cases where the landlord does not charge us for supplies, we need to capture their consumption data. The usable floor area relates to the areas used for working within the office and does not include communal areas such as corridors or toilets that fall outside of our operational control. Typically, the usable floor area equates to 90% of the total floor area.	
Evidence	Provide up-to-date spreadsheets/ or a database that lists all of the buildings within the SBUs estate (building by building) for which a landlord pays the gas supply for and provide data on their natural gas consumption. Provide evidence of the source data such as service charge invoices or meter readings. Where this is not available, we need to capture usable floor space areas or information on the number of desk spaces and additional information on the buildings is illustrated in table 4. It is important that there is a full audit trail even if the data is estimated.	

Scope 1		Indicator Reference: LEA 2.3.9
Indicator Question	Total volume of 1st generation biodiesel (from crops)	
Description	‘1 st generation biodiesel’ refers to biodiesel that is derived 100% from crops such as sunflowers, rapeseed or oil palms. Do not include this biodiesel data in the boiler fuel data above.	
Evidence	Provide up-to-date spreadsheets/ or a database on the total volume of 1 st generation biodiesel used. Provide evidence of the source data such as invoices or meter readings. The invoice data does not necessarily need to be broken down by each small site as the aim is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. It is important that there is a full audit trail.	

Scope 1		Indicator Reference: LEA 2.3.10
Indicator Question	Total volume of waste oils	
Description	‘Waste oils’ – refers to biodiesel derived from waste cooking oil and rendered animal fat. Waste cooking oil in this context is cooking oil that has already been used.	
Evidence	Provide up-to-date spreadsheets/ or a database on the total volume of waste oils used. Provide evidence of the source data such as invoices or meter readings. The invoice data does not necessarily need to be broken down by each small	

	site as the aim is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. It is important that there is a full audit trail.
--	--

Scope 1		Indicator Reference: LEA
		2.3.11
Indicator Question	Total volume of gas oil (red diesel)	
Description	'Gas oil' – also commonly known as red diesel refers to the total volume of fuel used for mobile plant such as forklifts, crushers, mobile elevating working platforms, cranes, excavators, hoists, earth moving equipment and stationary plant such as generators as well as plant used for heating. It may also include mobile fuel use of fleet assets where gas oil (red diesel) is used. This data should not feature anywhere else to avoid double counting.	
Evidence	Provide up-to-date spreadsheets/ or a database on the total volume of gas oil used. Provide evidence of the source data such as invoices or meter readings. The invoice data does not necessarily need to be broken down by each small site as the aim is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. It is important that there is a full audit trail. It is important that fuel supplied with equipment is captured as part of this process. As it is often difficult to separate red diesel deliveries on site used for mobile plant and for heat slabs for concrete pour, we have captured both uses here.	

For inclusion onto Accuvio, the total volume of gas oil (red diesel) must be split between the activity type on site where this fuel type is being consumed, either as:

- a) Stationary Combustion (generators and heating)
- b) Mobile Combustion (mobile plant such as forklifts, crushers, mobile elevating working platforms, cranes, excavators, hoists, earth moving equipment)

If there is no granular data detailing on-site usage, the total volume of gas oil (red diesel) must be apportioned by an appropriate methodology using the following hierarchy:

- i) Actual consumption data from telematics or detailed site records
- ii) Estimate derived from number of assets and hours utilised
- iii) 50/50 split between the two activity types

Scope 1		Indicator Reference: LEA
		2.3.12
Indicator Question	Total volume of plant petrol	
Description	'Plant petrol' refers to the total volume of petrol (unleaded fuel) used for mobile plant such as strimmers (weed-whackers), chain saws, concrete saws, and lawnmowers. This data should not feature anywhere else to avoid double counting.	

Evidence	Provide up-to-date spreadsheets/or a database on the total volume of plant petrol used. Provide evidence of the source data such as invoices or meter readings. The invoice data does not necessarily need to be broken down by each small site as the aim is to establish the overall carbon footprint for GHG reporting and how this varies from year to year, so that we can take steps to reduce costs. It is important that there is a full audit trail. It is important that fuel supplied with equipment is captured as part of this process.
----------	--

Scope 1		Indicator	Reference:	LEA
		2.3.13		
Indicator Question	Total volume of diesel with 5% biodiesel blend			
Description	<p>'Diesel with 5% biodiesel blend' commonly refers to standard diesel purchased via a pump in Europe. It may also be used for plant in countries where gas oil (red diesel) is not used.</p> <p>For those operations where 5% biodiesel is used for plant (as opposed to gas oil (red diesel) you should report this usage in this indicator, firstly to ensure that is it not accidentally excluded and secondly to ensure that the most appropriate emission factor is used when converting usage to tCO₂e.</p>			
Evidence	Provide up-to-date spreadsheets/or a database detailing the total volume of diesel used for vehicles and plant. Provide evidence of the source data such as invoices or supplier reports.			

For inclusion onto Accuvio, the total volume of diesel with 5% biodiesel blend must be split between the activity type on site where this fuel type is being consumed, either as:

- c) Stationary Combustion (generators and heating)
- d) Mobile Combustion (fleet vehicles, mobile plant such as forklifts, crushers, mobile elevating working platforms, cranes, excavators, hoists, earth moving equipment)

If there is no granular data detailing on-site usage, the total volume of diesel with 5% biodiesel blend must be apportioned by an appropriate methodology using the following hierarchy:

- iv) Actual consumption data from telematics or detailed site records
- v) Estimate derived from number of assets and hours utilised
- vi) 50/50 split between the two activity types

Scope 1		Indicator	Reference:	LEA
		2.3.14		
Indicator Question	Total volume of biodiesel (different blend)			
Description	<p>Different blend' refers to diesel blends that contain more or less than the standard 5% biodiesel concentration. Please specify the amount and the concentration of the biodiesel blend e.g. if the blend contained 10% biodiesel, please state 10% biodiesel blend.</p>			

Evidence	Provide up-to-date spreadsheets/or a database on the volume and concentration of biodiesel used for vehicles. Provide evidence of the source data such as invoices or supplier reports.
----------	---

Scope 1		Indicator	Reference:	LEA
		2.3.15		
Indicator Question	Total volume of pure diesel			
Description	'Pure diesel' refers to diesel that has not been blended with biodiesel. It should be reported as either mobile or stationary depending of its application.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of diesel used for vehicles. Provide evidence of the source data such as invoices or supplier reports.			

For inclusion onto Accuvio, the total volume of pure diesel must be split between the activity type on site where this fuel type is being consumed, either as:

- e) Stationary Combustion (generators and heating)
- f) Mobile Combustion (fleet vehicles, mobile plant such as forklifts, crushers, mobile elevating working platforms, cranes, excavators, hoists, earth moving equipment)

If there is no granular data detailing on-site usage, the total volume of pure diesel must be apportioned by an appropriate methodology using the following hierarchy:

- vii) Actual consumption data from telematics or detailed site records
- viii) Estimate derived from number of assets and hours utilised
- ix) 50/50 split between the two activity types

Scope 1		Indicator	Reference:	LEA
		2.3.16		
Indicator Question	Total volume of fleet petrol with 5% biofuel blend			
Description	'Fleet petrol' refers to the total volume of petrol bought by the SBU to run its vehicles. 'Fleet petrol with 5% biofuel blend' refers to standard petrol purchased via a pump in Europe and the USA.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of fleet petrol used for vehicles. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.17		
Indicator Question	Total volume of fleet petrol (different blend) – please specify			
Description	Different blend' refers to petrol blends that contain more or less than the standard 5% biofuel concentration. Please specify the amount and the concentration of the biofuel blend e.g. if the blend contained 10% biofuel, please state 10% biodiesel blend in the content box.			

Evidence	Provide up-to-date spreadsheets/or a database on the volume and concentration of biofuel used in the petrol for vehicles. Provide evidence of the source data such as invoices or supplier reports.
----------	---

Scope 1		Indicator	Reference:	LEA
		2.3.18		
Indicator Question	Total volume of pure fleet petrol (100% mineral)			
Description	'Pure fleet petrol' refers to 100% mineral petrol that has not been blended with biofuel. It is the total volume of pure fleet petrol bought by the SBU to run its vehicles.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of 100% mineral fleet petrol used for vehicles. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.19		
Indicator Question	Distance travelled from claimed mileage (company owned or leased vehicles)			
Description	'Claimed mileage' refers to mileage undertaken on behalf of the business with company owned vehicles or company leased vehicles where employees have paid for the fuel and have had the expense claim approved. It does not include mileage claimed for business trips conducted in privately owned vehicles (this is classed as scope 3 as the asset falls outside of Balfour Beatty's operational control). Where possible the submission date of the claim should be used on the expense system rather than the date of when the claim was paid.			
Evidence	Provide up-to-date spreadsheets/or a database on the distance travelled resulting from claimed mileage as described above.			

Scope 1		Indicator	Reference:	LEA
		2.3.20		
Indicator Question	Total volume of liquid petroleum gasoline (LPG)			
Description	'LPG' refers to the total volume of LPG bought by the SBU to run its vehicles.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of LPG used for vehicles. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.21		
Indicator Question	Total volume of compressed natural gas (CNG)			
Description	'CNG' refers to the total volume of CNG bought by the SBU to run its vehicles.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of CNG used for vehicles. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.23		
Indicator Question	Total weight of wood logs burnt			
Description	'Wood logs' refers to the weight of wood logs burnt. Some CHP plants, boilers and furnaces use wood logs.			
Evidence	Provide up-to-date spreadsheets/or a database on the total amount of wood logs burnt. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.24		
Indicator Question	Total weight of wood chips burnt			
Description	'Wood chips' refers to the weight of wood chips burnt.			
Evidence	Provide up-to-date spreadsheets/or a database on the total amount of wood chips burnt. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.25		
Indicator Question	Total weight of wood pellets burnt			
Description	'Wood pellets' refers to the weight of wood pellets burnt.			
Evidence	Provide up-to-date spreadsheets/or a database on the total amount of wood pellets burnt. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.26		
Indicator Question	Total weight of grass/straw burnt			
Description	'Grass/straw burnt' refers to the weight of grass/straw burnt. A number of new power stations use grass or straw bales as a fuel.			
Evidence	Provide up-to-date spreadsheets/or a database on the total amount of grass/straw burnt. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator	Reference:	LEA
		2.3.27		
Indicator Question	Total weight of other biomass burnt			
Description	'Other biomass' refers to the weight of either types of biomass that are burnt such peat. Please specify that type of biomass used.			
Evidence	Provide up-to-date spreadsheets/or a database on the total amount of other types of biomass burnt. Provide evidence of the source data such as invoices or supplier reports.			

Scope 1		Indicator Reference: LEA 2.3.28
Indicator Question	Sulphur hexafluoride (losses to atmosphere)	
Description	<p>'Sulphur hexafluoride' (SF₆) is used for electrical switchgear and substations. SF₆ is an extremely powerful greenhouse gas with a global warming potential of 23,500 times that of CO₂ when compared over 100-year period.</p> <p>SBU should report the weight of any SF₆ losses to atmosphere arising from their own activities i.e. from installation, maintenance, dismantling or upgrade work we might be conducting. It is important that we only measure losses of the gas to atmosphere that result from our work on projects and sites.</p> <p>Do not account for the SF₆ that has been charged to a system where no losses have occurred.</p> <p>A good indication that a leak has occurred is if a top up from a formerly fully charged system is required. SF₆ losses occur predominantly during gas handling, equipment uses and decommissioning of faulty equipment, especially in the case of catastrophic failures.</p>	
Evidence	Keep records of SF ₆ losses and associated SF ₆ top-ups. Provide evidence of the source data such as invoices or supplier reports.	

Scope 1		Indicator Reference: LEA 2.3.29
Indicator Question	HFC refrigerants (leakage losses)	
Description	<p>'Hydrofluorocarbons' (HFCs) are often used as refrigerants in air conditioning and refrigeration systems and as fire retardants in fire protection systems. HFCs, whilst not having ozone depleting properties, are powerful greenhouse gases. SBU should report HFCs losses to atmosphere from their activities on projects and sites.</p> <p>When reporting HFC losses, you are required to report the weight of the loss i.e. kg, pounds, tonnes etc.</p>	
Evidence	Keep records of HFC losses, associated HFC top-ups as evidence. Provide evidence of the source data such as invoices or supplier reports.	

Scope 1		Indicator Reference: LEA 2.3.30
Indicator Question	Total volume of methane emitted	
Description	<p>'Methane' (CH₄) is a potent greenhouse gas and has a global warming potential 28 times that of CO₂. Methane may be produced as a result of the fermentation/decomposition of organic matter such as waste and wastewater sludge, or any other biodegradable feedstock under anaerobic conditions.</p> <p>Potential sources of methane emissions could be sewage treatment and waste management plants that we are responsible for managing and operating.</p> <p>Where we burn fuel directly or use electricity the associated methane emissions are automatically accounted for when using the Defra/BEIS CO₂e conversion factors. It is therefore important that you do not include methane from the burning of fossil fuels or the generation of electricity.</p>	

Evidence	Provide up-to-date spreadsheets/or a database on the total volume of methane released to the atmosphere. Provide evidence of the source data such as monitoring data.
----------	---

Scope 1		Indicator	Reference:	LEA
		2.3.31		
Indicator Question	Total volume of nitrous oxide emitted			
Description	'Nitrous oxide' (N ₂ O) is a major greenhouse gas and has a global warming potential 265 times that of CO ₂ over a 100-year period. It is also an air pollutant. Where we burn fuel directly or use electricity the associated methane emissions are automatically calculated. It is therefore important that you do not include nitrous oxide from the burning of fossil fuels or the generation of electricity. Only account for N ₂ O emissions where these are released from other activities.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of N ₂ O released to the atmosphere. Provide evidence of the source data such as monitoring data.			

Scope 1		Indicator	Reference:	LEA
		2.3.31		
Indicator Question	Total volume of nitrous oxide emitted			
Description	'Nitrous oxide' (N ₂ O) is a major greenhouse gas and has a global warming potential 265 times that of CO ₂ over a 100-year period. It is also an air pollutant. Where we burn fuel directly or use electricity the associated methane emissions are automatically calculated. It is therefore important that you do not include nitrous oxide from the burning of fossil fuels or the generation of electricity. Only account for N ₂ O emissions where these are released from other activities.			
Evidence	Provide up-to-date spreadsheets/or a database on the total volume of N ₂ O released to the atmosphere. Provide evidence of the source data such as monitoring data.			

Scope 1		Indicator	Reference:	LEA
		2.3.32		
Indicator Question	PFC (leakage losses)			
Description	'Perfluorocarbons (PFCs) are major greenhouse gases with global warming potential of 5,000-25,000 times that of CO ₂ over a 100-year period. The main use of PFCs is in the electronics sector (manufacture of semi-conductors) and as refrigerants. PFCs can persist in the atmosphere for up to thousands of years. They are also occasionally used as environmental tracer gases, in fire extinguishers and for some cosmetic and medical applications. The main releases of PFCs to the environment occur during the manufacture of semi-conductors, refrigeration equipment and the production of aluminium. There are no natural sources of PFCs. When reporting PFC losses, you are required to report the weight of the loss i.e. kg, pounds, tonnes etc.			
Evidence	Keep records of PFC losses, associated PFC top-ups and CO ₂ e conversion calculations as evidence. Provide evidence of the source data such as invoices or supplier reports.			

8.3 Lean: Greenhouse Gas Emissions – Scope 2

Note that the consumption unit of measure for scope 1, 2 and 3 indicators vary across geographies and fuel types. These are provided in the Accuvio uploader. Once uploaded into Accuvio the platform applies the correct emission factor for the reporting year to generate the tCO₂e.

Scope 2 emissions are indirect GHG emissions that are a consequence of Balfour Beatty’s activities but occur at sources owned and controlled by us. The GHG Protocol classes these as emissions from purchased electricity, heat, steam and cooling.

For location-based reporting Balfour Beatty uses Defra’s and IEA actual CO₂e conversion factors that all provide international emission conversion factor.

For market-based reporting where a renewable-tariff contractual instrument covers the reporting period and certificates are confirmed to be retired no emission conversion factor is applied. Otherwise a residual emission factor is applied (see Accuvio for sources).

Scope 2		Indicator Reference: LEA 2.4.1
Indicator Question	Total grid consumption from own estate (permanent offices, depots, workshops, and manufacturing sites etc.)	
Description	‘Total grid consumption from own estate (permanent offices, depots, workshops, manufacturing sites etc.)’ refers to electricity purchased directly from utility providers or via an energy broker (i.e. where Balfour Beatty is invoiced for the electricity) for buildings we rent, occupy or own.	
Evidence	Keep records of meter readings and/or invoices to demonstrate electricity consumption. Ensure that all electricity meters (half hourly and non-half hourly) are accounted for.	

Scope 2		Indicator Reference: LEA 2.4.2
Indicator Question	Total grid consumption from temporary/project sites (purchased)	
Description	‘Total grid consumption from temporary/project sites’ refers to electricity purchased directly from utility providers or via an energy broker (i.e. where Balfour Beatty is invoiced for the electricity) for sites where we are working on behalf of a client as part of a contract. Include any green electricity you purchased. Please note that where consumption is backed by a green tariff contractual instrument this must be allocated to indicator LEA 2.4.5.	
Evidence	Keep records of meter readings and/or invoices to demonstrate electricity consumption. Ensure that all electricity meters (half hourly and non-half hourly) are accounted for.	

Scope 2		Indicator Reference: LEA 2.4.3
Indicator Question	Total grid consumption from temporary/project sites where the electricity is provided by the client	
Description	<p>'Total grid consumption from temporary/project sites where the electricity is provided by the client' refers to electricity provided free of charge by the customer for project sites where we are working on behalf of a customer as part of a construction or refurbishment contract. Use submeters or meter readings to keep track of consumption coming off the grid. Where meters cannot be fitted, use data from other project sites to estimate the electricity consumption. Please note that this should only be undertaken for areas that we operate such as a construction site.</p> <p>Project sites where we are carrying out small ad hoc jobs, which are likely to consume small amounts of energy such as window installations or paint jobs, should not be included within the reporting scope.</p> <p>Please note that where consumption is backed by a green tariff contractual instrument this must be allocated to indicator LEA 2.4.6.</p>	
Evidence	Keep records of meter readings or provide accurate estimations that capture information on the energy supplied by the client free of charge. If metering data is unavailable calculate the consumption from site cabins, security lighting and other equipment as illustrated in table 9. It is important that there is a full audit trail even if the data is estimated.	

Table 4: Calculation methodology for projects where electricity is provided free of charge

Source	Number of units	Nominal kWh of equipment	Running hours per month	Monthly consumption in kWh
Site cabin				
Lighting rig				
Security lighting				
Other equipment...				

Scope 2		Indicator Reference: LEA 2.4.4
Indicator Question	Total grid electricity purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites etc.) as part of a service charge	
Description	<p>'Purchased via a landlord' refers to the kWh used in our buildings that forms either part of a service charge or rent and is paid for by the landlord. Please note, that in cases where the landlord does not charge us for supplies, we use, we still need to capture the electricity consumption data. This includes green tariff electricity and on-site renewables.</p>	
Evidence	Provide up-to-date spreadsheets/ or a database that lists all of the buildings within the SBU' estate (building by building) for which a landlord pays the electricity supply for and provide data on their electricity consumption. Provide	

	<p>evidence of the source data such as service charge invoices or meter readings. Where this is not available, we need to capture usable floor space areas or information on the number of desk spaces and additional information on the buildings is illustrated in table 10. The usable floor area relates to the areas used for working within the office and does not include communal areas such as corridors or toilets that fall outside of our operational control. Typically, the usable floor area equates to 90% of the total floor area. It is important that there is a full audit trail even if the data is estimated.</p> <p>In situations where we share a depot or a workshop and do not pay for the bill directly, we recommend capturing the data by agreeing an apportionment methodology with the landlord. For instance, if we occupied 30% of a warehouse, we would report on 30% of its emissions.</p>
--	--

Table 5: Floor space calculation chart for electricity in kWh

Office	kWh/m²	kWh/ft²	Country
General office	200.21	18.6	Canada
General office	94.72	8.8	China
General office	95	8.83	UK
Storage facility/Workshop	35	3.25	UK
General office Northeast	184.06	17.1	USA
General office Midwest	164.69	15.3	USA
General office South	172.22	16.0	USA
General office West	160.38	14.9	USA
Warehouse & storage Northeast	52.74	4.9	USA
Warehouse & storage Midwest	71.04	6.6	USA
Warehouse & storage South	90.41	8.4	USA
Warehouse & storage West	51.67	4.8	USA

Source: UK CIBSE TM46, USA CBECS

Where we occupy less than a total of 50m² (538ft²) of office, warehouse or storage space, no floor space calculations are required.

Scope 2		Indicator Reference: LEA 2.4.5
Indicator Question	Total grid electricity purchased through a 100% renewable electricity tariff for our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	
Description	<p>‘Green tariff’ refers to renewable electricity that is derived from wind, solar or hydropower purchased directly from utility providers or via an energy broker (i.e. where Balfour Beatty is invoiced for the electricity) for buildings we rent, occupy or own. To qualify as a green supply the supplier must:</p> <ul style="list-style-type: none"> • Evidence that the green tariff is providing additionality over and above what is legally required by the power provider demonstrating the benefits of the tariff (i.e. demonstrating investment in renewables). • Either retire or redeem any associated levy exemption certificates to ensure that they are not later sold on to other customers. • Issue a guarantee of origin or similar certificate 	

	This total is included in the total grid consumption figure given in LEA 2.4.1 above.
Evidence	<p>Provide details on total amount of renewable electricity purchased throughout the year. Keep records demonstrating the above requirements.</p> <p>Note that for assurance purposes the market-based methodology requires that renewable tariff contractual instruments must be backed by Renewable Generation of Origin or similar certificates. Evidence from the energy provider confirming that certificates have been retired and cover the relevant reporting period must be provided. If you have any questions, please contact BB Group.</p>

Scope 2		Indicator Reference: LEA 2.4.6
Indicator Question	Total grid electricity purchased through a 100% renewable electricity tariff for our temporary project/sites	
Description	<p>'Non-fossil fuel sources through a full renewable tariff for our temporary project/sites' refers to electricity purchased directly from utility providers or via an energy broker (i.e. where Balfour Beatty is invoiced for the electricity) for sites where we are working on behalf of a client as part of a contract. Include any green electricity you purchased. To qualify as a green supply the supplier must:</p> <ul style="list-style-type: none"> • Evidence that the renewable tariff is providing additionality over and above what is legally required by the power provider demonstrating the benefits of the tariff (i.e. demonstrating investment in renewables). • Either retire or redeem any associated levy exemption certificates to ensure that they are not later sold on to other customers. • Issue a guarantee of origin or similar certificate <p>This total is included in the total grid consumption figure given in LEA 2.4.2 above.</p>	
Evidence	<p>Keep records of meter readings and/or invoices to demonstrate electricity consumption. Ensure that all electricity meters (half hourly and non-half hourly) are accounted for.</p> <p>Note that for assurance purposes the market-based methodology requires that renewable tariff contractual instruments must be backed by Renewable Generation of Origin or similar certificates. Evidence from the energy provider confirming that certificates have been retired and cover the relevant reporting period must be provided. If you have any questions, please contact BB Group.</p>	

Scope 2		Indicator Reference: LEA 2.4.7
Indicator Question	Total renewable electricity generated on-site for consumption in our own estate (permanent offices, depots, workshops, manufacturing sites, etc.) and temporary/project sites.	

Description	“Total renewable electricity generated on-site’ refers to the kWh generated on rented or owned properties within our own estate within the reporting period. This figure should not include any electricity which is exported to the grid or to other activities beyond our own estate.
Evidence	Provide up-to-date spreadsheets/ or a database with up to date meter readings of the renewable electricity we generate (often referred to as generation meters). Where applicable keep evidence of any payments you have received through feed in tariffs. It is important that there is a full audit trail even if the data is estimated.

Scope 2		Indicator Reference: LEA 2.4.8
Indicator Question	Total amount of heat and steam purchased from a local supply or district heating network	
Description	‘Local supply or district heating network’ refers to the amount of heat and steam purchased from a local 3 rd party via a supply feed or district heating network via a supply feed within the reporting period. A district heating network or system has more than one heat or steam source and supplies more than one building. However, as the conversion factors are the same, there is no need to differentiate between the two.	
Evidence	Keep meter readings and invoices of the amount steam purchased from local and district heating networks.	

8.4 Lean: Greenhouse Gas Emissions – Scope 3

Note that the consumption unit of measure for scope 1, 2 and 3 indicators vary across geographies and fuel types. These are provided in the Accuvio uploader. Once uploaded into Accuvio the platform applies the correct emission factor for the reporting year to generate the tCO2e.

Scope 3 emissions are other indirect GHG emissions that are a consequence of Balfour Beatty’s activities, but occur from sources not owned or controlled by Balfour Beatty such as the extraction, production and transportation of purchased materials and fuels, employee business travel, transmission and distribution losses not covered under Scope 2, outsourced activities, waste disposal, and use of sold products and services.

Obtaining relevant Scope 3 data can be difficult to obtain. As a result, Balfour Beatty is currently focussed on the following Scope indicators within in its value chain

Scope 3		Indicator Reference: LEA 2.5.1
Indicator Question	Distance travelled from employee business travel	
Description	‘Business travel’ in this context refers to flights, train, ferry, and coach journeys as well as mileage that is claimed by staff for business travel. It does not include fleet vehicles, as these would fall under scope 1 emissions, nor taxi journeys or daily commutes to and from work for individuals. It does include emissions from hired buses and minibuses used for dropping off gangs for projects (where we do not pay for the fuel directly).	

	Although employee business travel may not be a significant source of Scope 3 emissions we request SBUs to capture this information, as the data is increasingly available and is directly linked to operating costs.
Evidence	Monthly travel reports from their appointed travel agents. Claimed mileage data can be obtained from the Finance department. Monitor monthly business travel CO ₂ emissions. Business travel is a subset of Scope 3 and must not include scope 1 emissions.

Scope 3		Indicator Reference: LEA 2.5.2
Indicator Question	Purchased Good and Services (embodied carbon)	
Description	'Purchased materials' are defined as materials that constitute your top five largest sources of embodied carbon emissions such as sheet steel, cement, aggregate, asphalt and rebar.	
Evidence	Provide records of how the top five largest sources of embodied carbon have been identified and provide a table of the associated Scope 3 emissions for the reporting period and specify the source of the carbon conversion factors used.	

Scope 3		Indicator Reference: LEA 2.5.3
Indicator Question	Site derived waste	
Description	Calculate the total weight associated with the disposal of waste.	
Evidence	Use supplier reports and waste data demonstrate how this figure was arrived at.	

8.5 Lean: Resource Efficiency

The efficient use of materials is critical to avoiding the amount of waste generated on project sites. Given the pressures of resource scarcity, measuring the amount of waste that is generated, handled (i.e. reused, recycled or recovered and avoided from being sent to landfill) or disposed of is key to identifying opportunities to reducing wastage.

Waste is any substance or object discarded by the SBU for disposal or some form of off-site recovery operation such as recycling, incineration or composting. This definition follows the EU Waste Framework Directive and is to be used across Balfour Beatty for reporting purposes under Accuvio. Discarded construction, demolition and excavation spoil, production scrap such as metal off-cuts and office waste is included but old machinery or office equipment that will be re-used by another party (without some form of reprocessing or treatment operation) is not waste and should not be reported.

N.B.: Include both hazardous and non-hazardous or inert wastes in the above categories. As regulatory definitions for hazardous waste vary by geography and the relative proportion of hazardous to non-hazardous waste is small, the hazardous and non-hazardous waste streams are combined for these categories.

SBU waste that does not result from a construction site should be reported either as office or manufacturing/depot waste.

Where bulk liquid waste (such as from septic tanks or portaloos) is removed from project sites as a result of construction activities; as this neither gets sent to landfill nor can be recycled, but instead sent for treatment, this total volume should be included as a note. It should not contribute to the total recorded against the indicator.

Resource Efficiency		Indicator Reference: LEA 2.6.1
Indicator Question	Total weight of construction waste sent to landfill	
Description	Construction waste is any waste resulting directly from construction activities. Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all construction waste sent to landfill the year and link this to invoice data. In some cases, waste contractors may be able to run a monthly or quarterly report for your SBU, outlining the amount of construction waste generated.	

Resource Efficiency		Indicator Reference: LEA 2.6.2
Indicator Question	Total weight of excavation waste sent to landfill	
Description	Excavation waste is any waste resulting from excavation or digging activities that is sent to landfill. Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all excavation waste generated during the year and link this to invoice data. In some cases, waste contractors may be able to run a monthly or quarterly report for your SBU, outlining the amount of excavation waste generated.	

Resource Efficiency		Indicator Reference: LEA 2.6.3
Indicator Question	Total weight of demolition waste sent to landfill	
Description	Demolition is any waste resulting from demolition activities. Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all demolition waste generated during the year and link this to invoice data. In some cases waste contractors may be able to run a monthly or quarterly report for your SBU, outlining the amount of demolition waste generated.	

Resource Efficiency		Indicator Reference: LEA 2.6.4
Indicator Question	Total weight of office waste sent to landfill	
Description	'Total weight of office waste sent to landfill' refers to the weight of office waste from the SBU' office activities sent to landfill.	

Evidence	Keep spreadsheets or database of all office waste generated during the year and link this to invoice data. In some cases, waste contractors may be able to run a monthly or quarterly report for your SBU, outlining the amount of office waste generated.
----------	--

Resource Efficiency		Indicator Reference: LEA 2.6.5
Indicator Question	Total weight of manufacturing/depot waste sent to landfill	
Description	Manufacturing and depot waste is any waste from manufacturing, warehouse or depot activities	
Evidence	Keep spreadsheets or database of all manufacturing/depot waste generated during the year and link this to invoice data. In some cases, waste contractors may be able to run a monthly or quarterly report for your SBU, outlining the amount of manufacturing/depot waste generated.	

Resource Efficiency		Indicator Reference: LEA 2.6.7
Indicator Question	Total weight of construction waste avoided	
Description	'Total weight of construction waste avoided' is construction waste that have been reused, recycled or recovered and avoided from being sent to landfill Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all construction waste avoided during the year.	

Resource Efficiency		Indicator Reference: LEA 2.6.8
Indicator Question	Total weight of excavation waste avoided	
Description	'Total weight of excavation waste avoided' is excavation waste that has been reused, recycled or recovered and avoided from being sent to landfill Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all excavation waste avoided during the year.	

Resource Efficiency		Indicator Reference: LEA 2.6.9
Indicator Question	Total weight of demolition waste avoided	
Description	'Total weight of demolition waste avoided' is demolition waste that has been reused, recycled or recovered and avoided from being sent to. Where data for construction, demolition and excavation waste cannot be separated into one of these three categories, the data should be reported as construction waste.	
Evidence	Keep spreadsheets or database of all demolition waste avoided during the year.	

Resource Efficiency		Indicator	Reference:	LEA
		2.6.10		
Indicator Question	Total weight of office waste avoided			
Description	'Total weight of office waste avoided' refers to the total weight of office materials that have been reused, recycled or recovered and avoided from being sent to landfill that have arisen from our office activities.			
Evidence	Keep spreadsheets or database of all office waste avoided during the year.			

Resource Efficiency		Indicator	Reference:	LEA
		2.6.11		
Indicator Question	Total weight of manufacturing/depot waste avoided			
Description	'Total weight of manufacturing/depot waste avoided' refers to the weight of manufacturing/depot materials that have been reused, recycled or recovered and avoided from being sent to landfill that have arisen from our manufacturing/depot activities.			
Evidence	Keep spreadsheets or database of all manufacturing/depot waste avoided during the year.			

Water		Indicator	Reference:	LEA
		2.7.12		
Indicator Question	Potable water use in our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)			
Description	<p>'Potable water' refers to any water that meet drinking water standards. This primarily includes mains water that SBUs procure from a water supplier directly. Typically, this will include water use in buildings, depots, industrial units. Tankered water and abstracted groundwater (i.e. from boreholes) that meets drinking water standards such as a spring without additional treatment is also included here.</p> <p>It does not cover rainwater, recycled greywater or freshwater sources such as rivers, streams and lakes.</p> <p>Although there are differences in water quality throughout the world, with mains water being suitable for drinking without the risk of acute or chronic ill health in developed countries and requiring additional treatment in developing countries, the purpose of this section is to reduce our impact on water reserves.</p>			
Evidence	<p>Provide up-to-date spreadsheets that list the total SBU's water consumption with a breakdown of the locations at which the water is being used and provide evidence of the source data such as invoices or meter readings. It is important that there is a full audit trail.</p> <p>The reduction in water relates to facilities, sites, and plant under our operational control. Provide at least quarterly comparisons of year-on-year direct water consumption. Normalise water consumption data against £m revenue.</p>			

Water		Indicator Reference: LEA 2.7.13
Indicator Question	Potable water use (temporary/project sites).	
Description	<p>‘Potable water’ refers to any water that meet drinking water standards. This primarily includes mains water that SBUs procure from a water supplier directly. Typically, this will include water use in buildings, depots, industrial units. Tankered water and abstracted groundwater (i.e. from boreholes) that meets drinking water standards such as a spring without additional treatment is also included here. It does not cover rainwater, recycled greywater or freshwater sources such as rivers, streams and lakes.</p> <p>Although there are differences in water quality throughout the world, with mains water being suitable for drinking without the risk of acute or chronic ill health in developed countries and requiring additional treatment in developing countries, the purpose of this section is to reduce our impact on water reserves.</p>	
Evidence	<p>Provide up-to-date spreadsheets that list the total SBU’s water consumption with a breakdown of the locations at which the water is being used and provide evidence of the source data such as invoices or meter readings. It is important that there is a full audit trail.</p> <p>The reduction in water relates to facilities, sites, and plant under our operational control. Provide at least quarterly comparisons of year-on-year direct water consumption. Normalise water consumption data against £m revenue.</p>	

8.6 Expert

Influencing the market		Indicator Reference: EXP 3.1.1
Indicator Question	Industry leading or technical bodies on which Balfour Beatty has employee representatives.	
Description	<p>“Industry leading or technical bodies” are defined as academic or membership organisations that further our collective knowledge of sustainability through the sharing of knowledge. Typically, such organisations will be unbiased but have the involvement and/or influence of/on our customers, peers, stakeholders or the public for their contributions to sustainability.</p> <p>Activities such as:</p> <ul style="list-style-type: none"> • Developing case studies • Speaking at, hosting or organising events • Feeding back on draft legislation • Participating in consultations • Developing new tools or standards • Participating in publications • Writing articles <p>This information is required to be reported in our annual CDP submission.</p>	
Evidence	<p>Provide copies of minutes, reports, or online documentation that makes reference to individuals within the operating business being represented on industry leading or technical bodies.</p>	

	Provide examples of what the operating business’s contribution to the industry leading or technical body has been within the reporting period.
--	--

In Accuvio you will be required to provide the following information:

Table 6: Example Industry leading or technical bodies on which Balfour Beatty has employee representatives

<i>Name of Technical Body</i>	<i>Activities</i>	<i>Description</i>
<i>IEMA</i>	<i>Participating in consultations</i>	<i>Provide details of the actions and participation.</i>

Green Buildings & Infrastructure		Indicator Reference: EXP 3.5.1
Indicator Question	Revenue of projects that relate to green buildings and green infrastructure	
Description	<p>Provide the revenue generated from projects and services provided during the reporting period that achieved a recognised sustainability rating, standard or similar.</p> <p>Examples include:</p> <ul style="list-style-type: none"> • Green building certifications such as UK BREEAM, BREEAM International, LEED, Green Star, HK BEAM, SKA and the UK’s Code for Sustainable Homes; Passive House • PAS 2080 Carbon Management in Infrastructure standard • Civil engineering certifications such as CEEQUAL; and • Projects which address climate change mitigation and or adaptation such as electrification of railways, renewable installations, grid reinforcement schemes, interconnectors, flood defence schemes, coastal erosion management etc <p>Please note that Considerate Constructors Scheme or similar are not to be included as they are assessed as the project is on-going whereas the schemes above relate to leaving a finished project that can be operated and maintained in a sustainable manner. Zero Harm and ISO 14001 are also not considered as ratings for sustainable products and services.</p> <p>Investments businesses should not report the value of a project each year as this will cause over reporting, the project should be reported by the construction company as outlined above. In the case of joint venture businesses/projects only the proportion of the project that the Balfour Beatty SBU is directly responsible for may be reported.</p> <p>If an SBU delivers works for another contractor, they should only report the revenue of the works that relate to them. E.g. for a £5 million Mechanical & Electrical package as part of a £20 million project where a Balfour Beatty company only delivers the Mechanical & Electrical works should only report the £5 million. If the project is an internal joint venture, then reporting of this figure</p>	

	<p>should be agreed between the person responsible for collection of data at each SBU.</p> <p>Entries can be made in: Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).</p> <p>This information is required to be reported in our annual CDP submission.</p>
Evidence	<p>Provide a list of projects by revenue and identify those projects where a green infrastructure solution has been provided.</p> <p>You may need to contact your financial controller for the data once you have identified the projects that fall within scope of this question.</p>

In Accuvio you will be required to provide the following information:

Table 7: Example Revenue of projects that relate to green buildings and green infrastructure

<i>Project Name</i>	<i>Revenue</i>	<i>Description</i>
<i>Kennedy Street Student Accommodation</i>	<i>£15,500,000</i>	<i>BREEAM Silver</i>

8.7 Trusted

Social Value (Community Investment)		Indicator Reference: TRU 4.4.2
Indicator Question	Amount raised for charitable purposes by employees <u>excluding</u> match funding	
Description	<p>‘Amount raised for charitable purposes by employees’ refers to funding that employees have raised through their own efforts such as bake sales, sport activities, endurance activities, fairs etc. and promoted at work. These funds do not necessarily have to have been matched by Balfour Beatty.</p> <p>Entries can be made in; Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).</p>	
Evidence	Provide records of funds that have been raised by staff. This could be in the form of an excel spreadsheet or an oracle report.	

Social Value (Community Investment)		Indicator Reference: TRU 4.4.3
Indicator Question	Amount of company match funding	
Description	<p>‘Match funding’ refers to amount of funding provided by the SBU for charitable causes to match the exact amount of money raised by staff on one to one basis. It does not include match funding provided by Balfour Beatty Group.</p> <p>Entries can be made in: Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Malaysian Ringgit (MYR), Singapore Dollars (SGD), US Dollars (USD).</p>	
Evidence	Provide expenditure records of funds donated to charity by the SBU within the reporting period and records of the money raised by staff.	

Social Value (Community Investment)		Indicator Reference: TRU 4.4.4
Indicator Question	Hours of volunteering time	
Description	<p>Volunteering time' refers to paid leave provided to employees on top of their existing leave to work on projects that benefit the wider community. This includes projects that will improve the environment. It does not include personal free time that staff might give up on weekends to support a good cause.</p> <p>'Employees' are all people who are paid wages directly by the SBU to perform duties. It does not include contractors or agency staff. 'Paid leave' occurs in work time. Credit for employees' own volunteering in their own time shouldn't be taken into account. Community projects supported as part of project commitment should not be collated as these are a contractual requirement for which we are being paid for. Do not include project-related activities such as presenting or attending a governors' meeting at a school that we are building, as these are activities that Balfour Beatty derives a profit from and that we would have to carry out anyway. If, however, a member of staff took paid leave to volunteer for a school that Balfour Beatty was not delivering a project for, this would qualify as paid leave.</p> <p>A day of staff time spent volunteering, should be counted as 7.5 hours.</p>	
Evidence	Record the total number of hours spent on volunteering. This indicator is collated centrally in the UK only.	

Social Value (Community Investment)		Indicator Reference: TRU 4.4.5
Indicator Question	Value of in-kind contributions	
Description	<p>'In kind' donations refer to the value of materials, equipment or services that Balfour Beatty has provided to a good cause free of charge. This can include the value of staff time on pro bono work.</p> <p>The organisations that we support do not have to be charities and can include schools, hospitals, homes for the elderly and other good causes where support is providing a benefit to the community.</p> <p>Entries can be made in; Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).</p>	
Evidence	<p>Provide written documentation referring to the level of 'in kind' funding that has been set by the SBU for the year such as to invoices for materials and equipment we have donated. Where invoices do not exist, values of materials can be used based on catalogue prices (please provide evidence in the form of a table, relevant catalogue links and cost of the donated items).</p> <p>To calculate the value of pro-bono work, calculate the number of working days in the year (in the UK it is 365 days – 104 days [for weekends] – 25 days [holidays] – 8 bank holidays = 228 days). Divide the annual salary by the number of working days to obtain a day rate and divide this by 7.5 hours and multiply by 1.4 to obtain the hourly rate (cost to the business).</p> <p>SBU's should use their own banding for different grades to simplify the calculations as illustrated in table 3:</p>	

Table 8: In kind contributions table for different grades

Grade	'In kind' hourly contribution in currency
Director	£X/hr
Senior Manager	£X/hr
Manager	£X/hr
Senior Staff	£X/hr
General Staff/Operative	£X/hr

Capture and measure the level of 'in kind' funding provided.

Social Value (Community Investment)		Indicator Reference: TRU 4.4.6
Indicator Question	Value of direct donations by the SBU	
Description	'Value of direct donations by the SBU' refers to monetary donations made by the SBU to charities. Entries can be made in; Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).	
Evidence	Provide receipts of the value donations or run a report from the SBU financial reporting software such as Oracle. This indicator is collated centrally in the UK only.	

Responsible Sourcing		Indicator Reference: TRU 4.8.1
Indicator Question	Total value of major materials purchased directly and through our supply chain	
Description	'Major materials' in this context are the top ten materials (by spend) that the SBU purchases e.g. sheet steel, cabling, aggregates, concrete, ballast, plastic, rebar etc. Depending on the SBU 'major materials' can also encompass other major spends such as vehicles, electronic components, equipment, labour and other goods and services it might procure. Entries can be made in; Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD). This information is required to be reported in our annual CDP submission.	
Evidence	Provide a breakdown of major materials procured during the reporting period, identifying the top ten by value.	

Responsible Sourcing		Indicator Reference: TRU 4.8.2
Indicator Question	Total value of major materials purchased directly and through our supply chain that emanate from recognised responsible sourcing schemes	
Description	'Responsible sourcing schemes' typically consider legal requirements, together with a range of employment, safety, child labour, community and environmental impacts. Although some countries have a number of well-recognised responsible sourcing schemes, others do not. Where no recognised responsible sourcing schemes exist for materials, Balfour Beatty will adopt or develop appropriate	

	<p>sustainable procurement criteria for responsible sourcing and encourage our supply chain to adopt the same practice.</p> <p>Entries can be made in: Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).</p>
Evidence	<p>Provide a breakdown of the value of materials procured from recognised responsible sourcing or equivalent schemes by our supply chain. This will need to include information on the relevant schemes and traceable evidence from our suppliers demonstrating that the materials meet the relevant responsible sourcing criteria. This indicator is collated centrally in the UK only.</p>

Responsible Sourcing		Indicator Reference: TRU 4.8.3
Indicator Question	Total volume of timber and timber products purchased	
Description	<p>This includes timber used in construction, for hoardings and formwork, furniture, fittings in our offices and packaging used for our goods at our manufacturing facilities and packaging supplied to us. This covers products procured directly or indirectly by the supply chain on behalf of Balfour Beatty. It also covers paper products that we procure directly (but not the paper products that our suppliers procure).</p>	
Evidence	<p>Where we control the specification, produce a table/database illustrating all timber and timber products bought, the quantity in tonnes, and the responsible sourcing scheme.</p>	

Responsible Sourcing		Indicator Reference: TRU 4.8.4
Indicator Question	Total volume of timber and timber products from FSC and PEFC sources	
Description	<p>'Timber and timber products from FSC and PEFC' only includes timber and timber products procured directly or indirectly by the supply chain on behalf of Balfour Beatty that are certified to the Forest Stewardship Council (FSC) or Programme for the Endorsement of Forest Certification (PEFC). This includes timber with the following labels:</p> <ul style="list-style-type: none"> • FSC 100% • FSC mix with a certified content of at least 70% (this is common with doors and composite structures) • FSC recycled • PEFC certified (at least 70% of wood comes from PEFC-certified forests that meet or exceed PEFC's sustainability benchmark; and wood from controlled sources) • PEFC certified & recycled (at least 70% of wood comes from PEFC-certified forests that meet or exceed PEFC's sustainability benchmark and/or post-consumer recycled material; and wood from controlled sources). <p>All timber under this category must be accompanied by a full chain of custody (certificate).</p>	
Evidence	<p>Keep Chain of Custody records for all sourced timber and timber products procured directly or indirectly by the supply chain on behalf of Balfour Beatty. Where we control the specification, produce a table/database illustrating all</p>	

	<p>timber and timber products bought, the quantity in tonnes, and the responsible sourcing scheme. Do not count timber products that are only partially certified and fall under the 70% threshold e.g. that 50% certified.</p> <p>For where we do not control the specification and for where timber is bought indirectly, produce a table/database illustrating all timber and timber products bought, the quantity in tonnes, the responsible sourcing scheme. Keep records of the information provided by the suppliers so that it can be traced back. This may take the form of invoices and delivery notes, including certification number. Auditors may also challenge how the SBU knows that the information they have been provided with is reliable.</p>
--	--

8.8 Safe

Details of Health and Safety and Environmental incidents within the reporting period will be collected via iSMS not Accuvio. The ‘Group SHE Standard 103: Reporting Requirements’ defines a consistent set of reporting requirements for safety, health and environmental incidents – these requirements should be used to classify incidents for entry into iSMS.

Responsible Sourcing		Indicator Reference: SAF 5.1.1
Indicator Question	Has your SBU received any fines/penalties for environmental offences during the period?	
Description	‘Fines/penalties’ are defined as enforcement actions that have been imposed on an SBU by an authority for an environmental crime or offence. All incidents, prosecutions, convictions, enforcement notices and warning letters within the reporting period must be reported in iSMS	
Evidence	Keep records of any fines or penalties that have been served on the SBU.	

Environmental Compliance		Indicator Reference: SAF 5.1.2
Indicator Question	Total value of fines/ penalties incurred through environmental prosecution	
Description	‘Values of fines/penalties’ is the total amount of money that the SBU has had to pay to authorities for environmental crimes or offences during the reporting period. Details of enforcement action in terms of the value of any fines or prosecutions for environmental offences during the reporting period must be provided here and reported on iSMS Entries can be made in: Canadian Dollars (CAD), Euros (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollars (SGD), US Dollars (USD).	
Evidence	Keep records of any fines or penalties that the SBU has paid during the reporting period.	

Environmental Compliance		Indicator Reference: SAF 5.1.4
Indicator Question	Number of warnings that were issued by regulators	
Description	Warnings may include letters, emails, audit reports and other forms of written communication issued by a regulator to an SBU for breach or potential breach of environmental compliance. All warning letters within the reporting period must be reported in iSMS.	
Evidence	Keep records of any warnings issued by regulators during the reporting period.	

8.9 Centrally collated indicators

The below indicators are collated centrally by other functions and used for sustainability reporting.

Finance Data		Indicator Reference: INT 1.1.1
Indicator Question	Net Sales Value	
Description	<p>Net sales value (NSV) is the value in a currency of the operating revenues earned by Balfour Beatty from its projects, products or services, after deducting discounts, penalties, and other losses. Net sales provide the most accurate calculation of what Balfour Beatty has received in revenue from sales.</p> <p>Provide NSV for each SBU used for financial reporting to Group taken from the monthly management accounts (including inter-company sales). This data is used to normalise key performance indicators against a common measure of output (sales).</p> <p>Entries can be made in: Canadian Dollars (CAD), Euro (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollar (SGD), US Dollar (USD).</p>	
Evidence	No additional action is required. This indicator is collated centrally by finance..	

Finance Data		Indicator Reference: INT 1.1.2
Indicator Question	Net Sales Value for intensity calculation purposes (adjusted for JVs in the same way as the emissions and waste data)	
Description	<p>Net sales value is the value in a currency of the operating revenues earned by Balfour Beatty from its projects, products or services, after deducting discounts, penalties, and other losses. Net sales provide the most accurate calculation of what Balfour Beatty has received in revenue from sales.</p> <p>Provide NSV for each SBU used for financial reporting to Group and include the NSV data of joint ventures for which the business has operational control (see section 5). This is the total NSV adjusted for JVs, not the adjustment value on its own. If an SBU reports 100% of the data for a JV it needs to record 100% of the NSV. For example, if you entered \$1,500,000 in INT 1.1.1 and \$200,000 of this was a 50% JV, you would enter \$1,700,000 in INT 1.1.2. This is to ensure that</p>	

	<p>the intensity ratios for any other data you are reporting on such as your CO₂ emissions, waste and water data is not distorted.</p> <p>Entries can be made in: Canadian Dollars (CAD), European (EUR), Pounds Sterling (GBP), Hong Kong Dollars (HKD), Singapore Dollar (SGD), US Dollar (USD).</p>
Evidence	No additional action is required. This indicator is collated centrally by finance.

Acquisitions		Indicator Reference: INT 1.5.1
Indicator Question	Please list any businesses that have been acquired during the year	
Description	<p>Acquisition refers to the purchase of most if not all, of a company's ownership in order to assume control. List any acquisitions that have taken place during the reporting year, providing details of the names of the businesses that have been acquired and the date of acquisition.</p> <p>The HSES Group Head of Environment & Sustainability will liaise with the business to obtain historic data and adjust the baseline and make the necessary adjustments.</p>	
Evidence	Details of the companies that were acquired during the reporting year.	

Divestments		Indicator Reference: INT 1.6.1
Indicator Question	Please list any businesses that have been sold during the year	
Description	<p>Selling refers to any disposals that were undertaken during the reporting year, that lead to the sale of the SBU, part of it, one of its subsidiaries or joint ventures. List any businesses, subsidiaries, JVs, Jointly Owned Businesses or Concessions that have been sold during the reporting year, providing details of the names of the business units that have been sold and the dates that they were sold. Please be aware that we need to capture sustainability data for all disposals until the point of sale (this is particularly important for GHG data).</p> <p>The HSES Group Head of Environment & Sustainability will liaise with the business to obtain historic data and adjust the baseline and make the necessary adjustments.</p>	
Evidence	Details of the companies or elements of the business that were sold during the reporting year.	

Developing skills and talent		Indicator Reference: EXP 3.3.2
Indicator Question	Number of apprentices in our workforce	
Description	<p>An apprentice is defined as someone undertaking a form of structured vocational training whereby the apprentice follows an approved framework to develop skills and knowledge in a specific trade whilst also receiving off-site tuition from a recognised and approved training provider. Typically, apprenticeships last for three years.</p>	

Evidence	Keep records of the number of apprentices directly employed by the SBU at year end. Collected centrally for the UK only.
----------	--

Developing skills and talent		Indicator Reference: EXP 3.3.3
Indicator Question	Number of graduates in our workforce	
Description	A graduate is defined is someone who has either completed their bachelor’s (i.e. first degree) or their master’s or higher that are on a graduate programme run by the SBU.	
Evidence	Keep records of the number of graduates directly employed by the SBU at year end.	

Developing skills and talent		Indicator Reference: EXP 3.3.4
Indicator Question	Number of undergraduate (intern) work experience placements	
Description	An undergraduate is defined is someone who still in education and undertaking their bachelor’s (i.e. first degree) or their master’s or higher. In some countries undergraduates are referred to as interns.	
Evidence	Keep records of the number of undergraduates that have worked within the year for the SBU. Collected centrally for the UK only.	

Employee Engagement		Indicator Reference: TRU 4.5.1
Indicator Question	Number of employees who participated in the annual staff survey	
Description	‘This refers to the total number of staff that fill in the last staff survey. Where a survey has not been carried out over the last 24 months an SBU should enter zero. ‘Annual staff survey’ refers to a set of questions provided by Group HR. For joint ventures, SBUs may want to ask their own questions in order to provide flexibility to tailor the questions to their needs and obtain maximum benefit from the surveys. However, all surveys must include some core questions on opportunities for personal development and employee engagement.	
Evidence	Survey results.	

Employee Engagement		Indicator Reference: TRU 4.5.2
Indicator Question	Of those employees who participated, the number that confirm they were 'engaged'	
Description	‘Engaged’ are results that equivalent to good, very good or excellent satisfaction responses or scores of seven and above on a scale of one to ten where ten is the highest. The employee engagement results must be based on the same data set used for the overall staff survey used in TRU 4.5.1.	
Evidence	No additional action is required by the sustainability lead. This indicator is collated centrally.	

9.0 Glossary & Abbreviations

BEAM Plus	BEAM (Building Environmental Assessment Method) Plus is a voluntary environmental assessment tool for buildings defining best practice criteria for a range of sustainability issues across the whole life-cycle of buildings and projects (design, construct, operate and maintained. Hong Kong only.
BREEAM	BREEAM (Building Research Establishment Environmental Assessment Method), is administered by Building Research Establishment (BRE) and is the world's longest established method of assessing, rating, and certifying the sustainability of buildings. Primarily UK.
CDP	CDP (formerly Carbon Disclosure Project) is a global environmental disclosure scheme supporting thousands of companies, cities, states and regions to measure and manage their risks and opportunities on climate change, water security and deforestation at the request of investors, purchasers and city stakeholders.
CEEQUAL	CEEQUAL is the international evidence-based sustainability assessment, rating and awards scheme for civil engineering, infrastructure, landscaping and works in public spaces.
DJSI	Dow Jones Sustainability Indices are benchmarks for investors who have recognised that sustainable business practices are critical to generating long-term shareholder value and who wish to reflect sustainability convictions in investment portfolios.
GHG	Greenhouse Gas - for the purposes Balfour Beatty Reporting GHGs are the six gases listed in the Kyoto Protocol: carbon dioxide (CO ₂); methane (CH ₄); nitrous oxide (N ₂ O); hydrofluorocarbons (HFCs); perfluorocarbons (PFCs); and sulphur hexafluoride (SF ₆).
LEED	LEED (Leadership in Energy and Environmental Design) is an internationally recognised green building certification system, providing third-party verification that a building or community is designed and built using strategies aimed at improving performance across various metrics: energy savings, water efficiency, CO ₂ emissions reduction, improved indoor environmental quality, and stewardship of resources and sensitivity to their impacts. Primarily US.
SBTi	The Science Based Targets initiative (SBTi) is a "joint initiative by CDP, the UN Global Compact (UNGC), the World Resources Institute (WRI) and WWF intended to increase corporate ambition on climate action by mobilising companies to set greenhouse gas emission reduction targets consistent with the level of decarbonisation required by science to limit warming to less than 1.5°C / 2°C compared to preindustrial temperatures.
TCFD	Taskforce for Climate related Financial Disclosures is a market-driven initiative, set up to develop a set of recommendations for voluntary and consistent climate-related financial risk disclosures in mainstream filings.

Appendix 1 – List of Indicators

Reference	Title	* Collected by Group in the UK only	
		2020	Response Type
INT 1	Introductory questions		
INT 1.1	Financial Data		
INT 1.1.1	Net Sales Value	M	Reported by Group
INT 1.1.2	Net Sales Value for intensity calculation purposes (adjusted for JVs in the same way as the emissions and waste data)	M	Reported by Group
INT 1.2	Employee Information		
INT 1.2.1	Total number of employees at the year end	M	REMOVED
INT 1.3	Sustainability Awards		
INT 1.3.1	Provide a list of sustainability awards/ commendations received during the year	M	Reported by SBU - Survey
INT 1.4	Projects		
INT 1.4.1	Total number of projects in progress between contract signature and practical completion at the year end	M	REMOVED
INT 1.4.2	Total number of projects in progress above £3m in value between contract signature and practical completion at the year end	M	REMOVED
INT 1.4.3	Total number of projects above £3m in value that have achieved practical completion during the year	M	REMOVED
INT 1.4.4	Total value of individual projects above £3m in value between contract signature and practical completion at the year end	M	REMOVED
INT 1.5	Acquisitions		
INT 1.5.1	Please list any businesses that have been acquired during the year	M	Reported by Group
INT 1.6	Divestments		
INT 1.6.1	Please list any businesses that have been sold during the year	M	Reported by Group
LEA 2	Lean		
LEA 2.1	Driving Efficiencies		
LEA 2.1.1	Value of savings achieved through sustainability	M	Reported by SBU - Survey
LEA 2.2	Realising Supply Chain Value		
LEA 2.2.1	Proportion of our supply chain by value that we actively work with on delivering sustainability outcomes	M	REMOVED
LEA 2.2.2	Total value of invoices paid to suppliers that we actively work with on delivering sustainability outcomes	M	REMOVED
LEA 2.2.3	Total energy spend	M	REMOVED
LEA 2.2.4	Total cost of waste disposal	M	REMOVED
LEA 2.3	Greenhouse Gas Emissions – Scope 1		
LEA 2.3.1	Total natural gas consumption on our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	M	Accuvio Uploader
LEA 2.3.2	Total natural gas consumption from temporary/ project sites	M	Accuvio Uploader
LEA 2.3.3	Total natural gas purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites, etc.) as part of a service charge	M	Accuvio Uploader
LEA 2.3.4	Total quantity of bottled gas (butane)	M	Accuvio Uploader

LEA 2.3.5	Total quantity of bottled gas (propane)	M	Accuvio Uploader
LEA 2.3.6	Total boiler fuel consumption on our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	M	Accuvio Uploader
LEA 2.3.7	Total boiler fuel consumption from temporary/project sites	M	Accuvio Uploader
LEA 2.3.8	Total boiler fuel purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites etc.) as part of a service change	M	Accuvio Uploader
LEA 2.3.9	Total volume of 1st generation biodiesel (from crops)	M	Accuvio Uploader
LEA 2.3.10	Total volume of waste oils	M	Accuvio Uploader
LEA 2.3.11	Total volume of gas oil (red diesel)	M	Accuvio Uploader
LEA 2.3.12	Total volume of plant petrol	M	Accuvio Uploader
LEA 2.3.13	Total volume of diesel with 5% biodiesel blend	M	Accuvio Uploader
LEA 2.3.14	Total volume of biodiesel (different blend) - please specify	M	Accuvio Uploader
LEA 2.3.15	Total volume of pure diesel (no blend)	M	Accuvio Uploader
LEA 2.3.16	Total volume of fleet petrol with 5% biofuel blend	M	Accuvio Uploader
LEA 2.3.17	Total volume of fleet petrol different blend	M	Accuvio Uploader
LEA 2.3.18	Total volume of pure fleet petrol (100% mineral)	M	Accuvio Uploader
LEA 2.3.19	Distance travelled from claimed mileage (company owned or leased vehicles)	M	Accuvio Uploader
LEA 2.3.20	Total volume of liquid petroleum gasoline (LPG)	M	Accuvio Uploader
LEA 2.3.21	Total volume of compressed natural gas (CNG)	M	Accuvio Uploader
LEA 2.3.22	See LEA 2.2.3	M	Accuvio Uploader
LEA 2.3.23	Total weight of wood logs burnt	M	Accuvio Uploader
LEA 2.3.24	Total weight of wood chips burnt	M	Accuvio Uploader
LEA 2.3.25	Total weight of wood pellets burnt	M	Accuvio Uploader
LEA 2.3.26	Total weight of grass/straw burnt	M	Accuvio Uploader
LEA 2.3.27	Total weight of other biomass burnt	M	Accuvio Uploader
LEA 2.3.28	Sulphur hexafluoride (losses to atmosphere) in tonnes	M	Accuvio Uploader
LEA 2.3.29	HFC refrigerants (leakage losses)	M	Accuvio Uploader
LEA 2.3.30	Total volume of methane emitted	M	Accuvio Uploader
LEA 2.3.31	Total volume of nitrous oxide emitted	M	Accuvio Uploader
LEA 2.3.32	PFC (leakage losses)	M	Accuvio Uploader
LEA 2.4	Greenhouse Gas Emissions – Scope 2		
LEA 2.4.1	Total grid consumption from own estate (permanent, offices, depots, workshops, manufacturing sites etc.)	M	Accuvio Uploader

LEA 2.4.2	Total grid consumption from temporary/project sites	M	Accuvio Uploader
LEA 2.4.3	Total grid consumption from temporary/project sites where the electricity is provided by the client	M	Accuvio Uploader
LEA 2.4.4	Total grid electricity purchased via a landlord for our own estate (permanent offices, depots, workshops, manufacturing sites etc.) as part of a service change	M	Accuvio Uploader
LEA 2.4.5	Total grid electricity purchased from non-fossil fuel sources through a full green tariff for our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	M	Accuvio Uploader
LEA 2.4.6	Total grid electricity purchased from non-fossil fuel sources through a full green tariff for our temporary project/sites	M	Accuvio Uploader
LEA 2.4.7	Total renewable electricity generated on site for consumption in our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	M	Accuvio Uploader
LEA 2.4.8	Total amount of heat and steam purchased from a local supply or district heating network	M	Accuvio Uploader
LEA 2.5	Greenhouse Gas Emissions – Scope 3		
LEA 2.5.1	Distance travelled from employee business travel	M	Accuvio Uploader
LEA 2.5.2	Purchased Good and Services (embodied carbon)	O	Accuvio Uploader
LEA 2.5.3	Site derived waste	O	Accuvio Uploader
LEA 2.6	Resource Efficiency		
LEA 2.6.1	Total weight of construction waste sent to landfill	M	Accuvio Uploader
LEA 2.6.2	Total weight of excavation waste sent to landfill	M	Accuvio Uploader
LEA 2.6.3	Total weight of demolition waste sent to landfill	M	Accuvio Uploader
LEA 2.6.4	Total weight of office waste sent to landfill	M	Accuvio Uploader
LEA 2.6.5	Total weight of manufacturing/depot waste sent to landfill	M	Accuvio Uploader
LEA 2.6.6	See LEA 2.2.4		Accuvio Uploader
LEA 2.6.7	Total weight of construction waste avoided	M	Accuvio Uploader
LEA 2.6.8	Total weight of excavation waste avoided	M	Accuvio Uploader
LEA 2.6.9	Total weight of demolition waste avoided	M	Accuvio Uploader
LEA 2.6.10	Total weight of office waste avoided	M	Accuvio Uploader
LEA 2.6.11	Total weight of manufacturing/depot waste avoided	M	Accuvio Uploader
LEA 2.7	Water		
LEA 2.7.1	Potable water use in our own estate (permanent offices, depots, workshops, manufacturing sites, etc.)	M	Accuvio Uploader
LEA 2.7.2	Potable water use (temporary / project sites)	M	Accuvio Uploader
EXP 3	Expert		
EXP 3.1	Influencing the market		
EXP 3.1.1	Industry leading or technical bodies on which Balfour Beatty has employee representatives.	M	Reported by SBU - Survey
EXP 3.1.2	Major clients engaged on sustainability	M	REMOVED
EXP 3.2	My Contribution		

EXP 3.2.1	Number of My Contribution ideas implemented	M	REMOVED
EXP 3.3	Developing Skills and Talent		
EXP 3.3.1	Employee retention rate	M	REMOVED
EXP 3.3.2	Number of apprentices in our workforce	M	Reported by SBU - Survey*
EXP 3.3.3	Number of graduates in our workforce	M	Reported by SBU - Survey*
EXP 3.3.4	Number of undergraduate (intern) work experience placements	M	Reported by SBU - Survey*
EXP 3.4	Resilient Infrastructure		
EXP 3.4.1	Number of projects with climate change adaptation plans	M	REMOVED
EXP 3.4.2	Number of projects with ecological enhancements	O	REMOVED
EXP 3.5	Green Infrastructure		
EXP 3.5.1	Total value of projects that relate to green infrastructure	M	Reported by SBU - Survey
EXP 3.5.2	See EXP 3.5.1		
TRU 4	Trusted		
TRU 4.1	Customer Experience		
TRU 4.1.1	Number of projects in progress between contract signature and practical completion at the yearend that operate a client service programme, such as MAP	M	REMOVED
TRU 4.1.2	Average client MAP (or similar) rating for projects between contract signature and practical completion	M	REMOVED
TRU 4.2	Business Integrity		
TRU 4.2.1	Of the total number of employees at year end, how many employees have completed module 1 (BB-COC-100-E - Balfour Beatty Code of Conduct) of our e-learning programme in ethical business and compliance.	M	REMOVED
TRU 4.2.2	Of the total number of employees at year end, how many employees have completed module 2 (BB-COC-200-E - Balfour Beatty Code of Conduct) of our e-learning programme in ethical business and compliance.	M	REMOVED
TRU 4.2.3	Number of reported 'Speak Up' cases.	M	REMOVED
TRU 4.2.4	Number of substantiated 'Speak Up' cases.	M	REMOVED
TRU 4.3	Delivering Sustainability Commitments		
TRU 4.3.1	Total projects by value and number that have agreed sustainability objectives and have delivered sustainability outcomes	M	REMOVED
TRU 4.3.2	Projects by value and number that have delivered sustainability outcomes	M	REMOVED
TRU 4.4	Social Value - Community Investment		
TRU 4.4.1	Number of our projects above £3m in value in progress between contract signature and practical completion at the year-end that have a community engagement/Involved plan	M	REMOVED
TRU 4.4.2	Amount raised for charitable purposes by employees excluding match funding	M	Reported by SBU - Survey
TRU 4.4.3	Amount of company match funding	M	Reported by SBU - Survey
TRU 4.4.4	Hours of volunteering time	M	Reported by SBU - Survey

TRU 4.4.5	Value of in kind contributions to charities (and wider community)	M	Reported by SBU - Survey
TRU 4.4.6	Value of direct donations by the SBU	M	Reported by SBU - Survey
TRU 4.5	Employee Engagement		
TRU 4.5.1	Number of employees who participated in the annual staff survey	M	Reported by Group
TRU 4.5.2	Of those employees who participated, the number that confirm they were 'engaged'	M	Reported by Group
TRU 4.6	Diversity		
TRU 4.6.1	Total number of diversity and inclusion targets set by the SBU	M	REMOVED
TRU 4.6.2	Number of diversity and inclusion targets achieved by the SBU	M	REMOVED
TRU 4.7	Recognition		
TRU 4.7.1	Our annual report to the Carbon Disclosure Project (CDP) is completed by GHO Sustainability	M	REMOVED
TRU 4.8	Responsible Sourcing		
TRU 4.8.1	Total value of major materials purchased directly and through our supply chain	M	Reported by SBU - Survey*
TRU 4.8.2	Total value of major materials purchased directly and through our supply chain that emanate from recognised responsible sourcing schemes	M	Reported by SBU - Survey*
TRU 4.8.3	Total volume of timber and timber products purchased	M	Reported by SBU - Survey*
TRU 4.8.4	Total volume of timber and timber products from FSC and PEFC sources	M	Reported by SBU - Survey*
TRU 4.8.5	Total volume of timber and timber products from other recognised responsible sourcing schemes	M	Reported by SBU - Survey*
SAF 5	Safe		
SAF 5.1	Environmental Compliance		
SAF 5.1.1	Has your SBU received any fines/penalties for environmental offences during the period?	M	Reported by SBU - Survey
SAF 5.1.2	Description and values of fines/ penalties incurred through environmental prosecution	M	Reported by SBU - Survey
SAF 5.1.3	See SAF 5.1.2		
SAF 5.1.4	Number of warnings that were issued by regulators	M	Reported by SBU - Survey

If you have any questions please contact:

Bekir Andrews

Group Head of Environment & Sustainability

E: bekir.andrews@balfourbeatty.com

W: [balfourbeatty.com/sustainability](https://www.balfourbeatty.com/sustainability)